dormakaba 🚧

2900 Series

Plate Furniture







Product Brochure

True harm minisation

Featuring smooth surfaces and edges, providing minimal ligature and impact points. These same features make the 2900 series perfect for use in areas where vandalism is a risk.

Reducing the risk of harm and vandalism

This custom designed range of hardware is specifically manufactured for use in mental institutions, psychiatric hospitals, care homes, detention centres, prisons and other facilities where the avoidance of self harm or harm to others is a consideration.

The range is also suitable for areas where there is a high risk of vandalism, such as councils, schools, hospitals and public buildings.





Lever, Knob, Pull and Turn designs

Standard lever is the 29 or 32 also available is the SPOKK knob (special orbit knurled knob). Flush Handles (FH) and D Pull (DP) offer features such as solid infill sections where anti-ligature features are required. All levers and knobs are spring assisted for positive operation.

Patented clutching turn design

All turns on 2900 Series offer our unique patented clutching turn. This feature offers the ability to override with a key from the outside when the turn is being held from the opposite side of the door.

N2900 Series Narrow plate furniture

316 grade stainless steel

The N2900 series plate is constructed from a high quality 316 grade stainless steel sheet metal, a corrosion resistant stainless steel cam, an integrated precision ground 8mm stainless steel bush that provides enhanced handle support and strength, a spring steel wire torsion spring to eliminate handle sag and a heavy duty stainless steel stop cam. All levers, knobs and pulls are constructed from high quality 316 grade stainless steel (excluding the flush pull "FP" which is constructed from brass with a satin nickel plate finish).



Technical data

The 2900 Series flat form square door furniture is designed for use with contemporary Australian mortice locks and latches. For optimal effectiveness, dormakaba recommends the use of the MSE extended backset version of mortice lock.

Dimensions

160mm (H), 86mm (W), 2mm (T).

Fixing

Plates are designed to fit back to back with the side at most risk having concealed fixings. Secured by 4 x M5 post torx countersunk security screws (supplied as standard for added safety/security).

Handing

Plates are handed.

Door Thickness

Standard model is designed to suit 35mm-50mm thick door as standard. For thick doors extended screw packs are required.

Fire Rating



The 2900 Series narrow plate furniture is fire rated and complies with Australian Standard AS1905-1-2005 Part 1.

Finish

Satin Stainless Steel (SSS)



01

N2913C-FHSSSL Plate with turn and flush handle

02

N2953C-32SSSL Plate with indicating slot and 32 lever

03

N2902C-DPSSS Plate with d-pull 04

N2963C-29SSSL Plate with indicating turn and 29 lever 05

N2904C-1-SSSL Plate with cylinder guard

5

316 grade stainless steel

The W2900 series plate is constructed from a high quality 316 grade stainless steel sheet metal, a corrosion resistant stainless steel cam, an integrated precision ground 8mm stainless steel bush that provides enhanced handle support and strength, a spring steel wire torsion spring to eliminate handle sag and a heavy duty stainless steel stop cam.

All levers, knobs and pulls are constructed from high quality 316 grade stainless steel (excluding the flush pull "FP" which is constructed from brass with a satin nickel plate finish).



Technical data

The W2900 Series flat form square door furniture is designed for use with contemporary Australian mortice locks and latches. For optimal effectiveness, dormakaba recommends the use of the MSE extended backset version of mortice lock.

Dimensions

160mm (H), 160mm (W), 4mm (T).

Fixing

Plates are designed to fit back to back with the side at most risk having concealed fixings. Secured by 6 x M5 post torx countersunk security screws (supplied as standard for added safety/security).

Handing

Plates are handed.

Door Thickness

Standard model is designed to suit 35mm-50mm thick door as standard. For thick doors extended screw packs are required.


Fire Rating



The 2900 Series narrow plate furniture is fire rated and complies with Australian Standard AS1905-1-2005 Part 1.

Finish

Satin Stainless Steel (SSS)



01

W2913C-FHSSSL

Plate with turn and flush handle

W2953C-32SSSL

02

Plate with indicating slot and 32 lever

03

W2902C-DPSSS Plate with d-pull

04


W2963C-29SSSL Plate with indicating turn and 29 lever

05

W2904C-1-SSSL Plate with cylinder guard

2900 Series Plate Furniture


Ordering procedure chart



N2900 Series Narrow plate furniture range

Plates with Flush Handle





N2901C-*-FHSSS

N2901V-*-FHSSS

Plate with cylinder guard

* specify cylinder guard

N2901 Function

and flush handle

N2902C-FHSSS

0

N2902V-FHSSS


Plate with flush handle

N2902 Function

0



N2913C-FHSSS



N2913V-FHSSS

N2913 Function Plate with turn and flush handle








N2963C-FHSSS

᠓

N2953C-FHSSS

N2953V-FHSSS

N2953 Function Plate with indicating slot and flush handle




Plates without Handles




N2904C-*-SSS



N2904V-*SSS





0

N2905VSSS

N2905 Function Plain plate

0



N2906CSSS



N2906VSSS

N2906 Function Plate with turn



N2923CSSS



N2923VSSS

N2923 Function Plate with indicating slot



N2933CSSS



N2933VSSS

N2933 Function Plate with indicating turn

9

N2900 Series Narrow plate furniture range

Plates with 29 Lever



N2901C-*-29SSSR



0



N2913C-29SSSR



N2913V-29SSSR

N2913 Function Plate with turn and Note: Handed





N2963C-29SSSR

N2953C-29SSSR

N2953V-29SSSR

N2953 Function Plate with indicating slot and 29 lever Note: Handed

N2963 Function Plate with indicating turn and 29 lever Note: Handed





0

N2902V-29SSSR

N2901 Function Plate with cylinder guard and 29 lever * specify cylinder guard Note: Handed

Plates with 32 Lever


N2902 Function Plate with 29 lever Note: Handed



29 lever



N2953C-32SSSR



N2953V-32SSSR

N2953 Function Plate with indicating slot and 32 lever Note: Handed



N2963C-32SSSR

C 0


N2901C-*-32SSSR



N2901 Function Plate with cylinder guard and 32 lever * specify cylinder guard Note: Handed




N2902C-32SSSR



N2902V-32SSSR

N2902 Function Plate with 32 lever Note: Handed



o

N2913V-32SSSR




Plate with indicating turn and 32 lever Note: Handed

N2900 Series Narrow plate furniture range

Plates with Knurled Knob











N2901C-*-SPOKKSSSR

N2902C-SPOKKSSSR

N2913C-SPOKKSSSR

N2953C-SPOKKSSSR

N2963C-SPOKKSSSR



N2901 Function

guard and knob

Note: Handed

Plate with cylinder

0 O

N2902V-SPOKKSSSR



N2901V-*-SPOKKSSSR

N2902 Function Plate with knob Note: Handed * specify cylinder guard



N2913V-SPOKKSSSR

N2913 Function Plate with turn and knob Note: Handed

N2953 Function Plate with indicating slot and knob Note: Handed

N2963 Function Plate with indicating turn and knob Note: Handed

Plates with D-Pull




N2902C-DPSSS





N2902V-DPSSS


N2902 Function Plate with d-pull

Plates with Flush Handle











W2902C-FH






W2913V-FH

W2913C-FH

W2953C-FH

W2963C-FH

W2901C-*-FH



W2901 Function

and flush handle

Note: Handed

0

W2902V-FH

0



W2913 Function Plate with turn and flush handle Note: Handed

W2953 Function Plate with indicating slot and flush handle Note: Handed

W2963 Function Plate with indicating turn and flush handle Note: Handed


Plates without Handles

Plate with cylinder guard

* specify cylinder guard



W2904C-*



W2904V-*





0

0

W2905V


0

W2905 Function Plain plate Note: Handed

0



W2906C



W2906V

W2906 Function Plate with turn Note: Handed



W2923C




W2933C

W2923 Function Plate with indicating slot Note: Handed

W2933 Function Plate with indicating turn Note: Handed


Plates with 29 Lever







W2913C-29SSSR





W2901C-*-29SSSR

ര

0

W2902C-29SSSR

W2902V-29SSSR

W2902 Function

Note: Handed

Plate with 29 lever




0

W2913V-29SSSR

W2913 Function Plate with turn and 29 lever Note: Handed





W2953V-29SSSR

W2953 Function Plate with indicating slot and 29 lever Note: Handed

W2963C-29SSSR

W2963 Function Plate with indicating turn and 29 lever Note: Handed



W2901V-*-29SSSR

Plate with cylinder guard

* specify cylinder guard


W2901 Function

and 29 lever

Note: Handed




W2901C-*-32SSSR




W2901V-*-32SSSR

W2901 Function Plate with cylinder guard and 32 lever * specify cylinder guard Note: Handed




W2902C-32SSSR




W2902V-32SSSR





W2913C-32SSSR



W2913V-32SSSR

W2913 Function Plate with turn and 32 lever Note: Handed



W2953C-32SSSR



W2953V-32SSSR


W2953 Function Plate with indicating slot and 32 lever Note: Handed




W2963C-32SSSR



Plates with Knurled Knob












W2901C-*-SPOKKSSSR

W2902C-SPOKKSSSR


W2913C-SPOKKSSSR




W2963C-SPOKKSSSR



W2901V-*-SPOKKSSSR



W2902V-SPOKKSSSR



W2913V-SPOKKSSSR

W2901 Function Plate with cylinder guard and knob * specify cylinder guard Note: Handed


W2902 Function Plate with knob Note: Handed




W2953 Function Plate with indicating slot and knob Note: Handed

W2963 Function Plate with indicating turn and knob Note: Handed

Plates with D-Pull



W2901C-*-DPSSSR



W2901V-*-DPSSSR

W2901 Function Plate with cylinder guard and d-pull * specify cylinder guard Note: Handed







W2902V-DPSSSR

0

W2902 Function Plate with d-pull Note: Handed




W2913C-DPSSSR




W2913V-DPSSSR





W2953C-DPSSSR




W2953V-DPSSSR

W2953 Function Plate with indicating slot and d-pull Note: Handed



W2963C-DPSSSR




W2963V-DPSSSR

W2963 Function Plate with indicating turn and d-pull Note: Handed

W2902C-DPSSSR 0

Plates with Flush Pull














W2901C-1-FPSSSR

W2902C-FPSSSR


W2913C-FPSSSR




W2953C-FPSSSR



W-2953C-FPSSSR



0 a 0 0



W2913V-FPSSSR

Plate with turn and flush pull Note: Handed

Plate with indicating

W2963 Function Plate with indicating turn and flush pull Note: Handed

W2901 Function Plate with cylinder guard and flush pull * specify cylinder guard Note: Handed

W2901V-1-FPSSSR

W2902 Function Plate with flush pull Note: Handed

W2902V-FPSSSR

W2913 Function

W2953 Function slot and flush pullr Note: Handed





Door Hardware



Electronic Access & Data



Entrance

Systems





Lodging Systems





Safe Locks

Services

Our Sustainability Commitment

We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations. We seek an open, transparent dialogue with all stakeholders to define strategies and actions based on clear targets and continuous improvement, and we actively report on our progress.

dormakaba Australia

Head Office 12-13 Dansu Court Hallam VIC 3803 T 1800 675 411 info.au@dormakaba.com www.dormakaba.com.au

dormakaba New Zealand

Building P 61-69 Patiki Road 1026 Avondale/Auckland New Zealand T: 0800 436 762 info.nz@dormakaba.com www.dormakaba.com.au