

1. This Single Telescopic door package consists of:

- 2-5/8" [67] Narrow stile door panels (including 3/4" [19] wide glass stop).
- 3-1/4" [83] Optional muntin mounted at 41-3/4" [1060] centerline on all panels
- (including 3/4" [19] wide glass stop).
- · Recessed pull handle on SX panel
- 4" [102] Bottom rails (including 3/4" [19] wide glass stop).
- 2" [51] x 6" [152] Smooth jambs.
- Vertical and horizontal brush type weather stripping (AAMA-701-11Class A).
- 3/4" [19] wide snap-in glass stops for glazing from 1/4" [6] to 1-1/4" [32] thick at 1/8" [3] increments.
- Breakaway sliding door panels (SX) and breakaway sidelights (SO) panels.
- · Limit arm on SX and SO Panels.
- Flush Bolt on SO panels
- B. Finishes:
 - Clear anodized (BHMA 204).
 - Dark Bronze anodized (BHMA 313).
- 2. Typical Package Options:
 - A. Positive Latch options: (see options page).
 - Jamb Latch.
 - · Concealed.
- B. Finishes: special anodized, PVDF (wet) paint, powder coat, and cladding available. header, panels and jambs only.
- C. Muntins: multiple, various heights, and locations.
- D. Bottom Rails: 7" [178], 10" [254]. Other heights available.
- E. Smoke rated Package available
- F. Locking and Security Options:
- · Manual two point mortise lock with thumb turn and key cylinder.
- Security contacts.
- 3. Drawing Notes:
 - A. Drawing dimensions are in English & Metric units. Metric units are displayed as: 1" [25] millimeters.
- B. Typical package dimensions: (Glass thickness my be limited by panel size)
 - Each door package is manufactured to your custom size requirements.
 - Package Width: Min. 7' [2134] to Max. 12' [3658].
 - Header Height: Min. 7' [2134] to Max. 9' [2743].
 - Max. Weight 200 lbs [90kg]. · Panel Weight:
 - SX Panel Size Limit = (SX Panel Width x Weight) < 800 ft-lbs [1084 N-m] Max.
- 4. Standards of Compliance:
- A. Designed to comply with these standards depending on installation and application:
- International Building Code (Section 1008).
 NFPA 101 Life Safety Code (Section 7.2.1.9).
- B. Refer to Local, State, National or AHJ. Building Code for minimum door height and minimum/maximum width allowable for egress requirements.
- C. Minimum ADA is 32" clear slide opening.
- 5. Contact Dorma Architectural Services for more information:
- A. Email: SPECNOW@dorma.com
- B. Phone: 1-844-SPEC-NOW (1-844-773-2669)

Package Width **Rough Opening Width** Clear Slide Opening Sidelight Width **Door Panel Width Breakout Width** (7'-0") 84" [2134] 84 1/2" [2146] 42 5/8" [1082] 33 1/4" [845] 23 1/4" [591] 74" [1880] (8'-0") 96" [2438] 96 1/2" [2451] 50 5/8" [1285] 37 1/4" [946] 27 1/4" [616] 86" [2184] (9'-0") 108" [2743] 108 1/2" [2756] 58 5/8" [1489] 41 1/4" [1048] 31 1/4" [794] 98" [2489] (Package Width) (Package Width x 2/3) (Package Width / 3) (Door Panel Width) (Package Width) Width Formulas + 1/2" [13] - 13 3/8" [340] + 5 1/4" [133] - 10" [254] - 10" [254]

Sheet 1 of 1



Drawing Title: ICU300T MANUAL TELESCOPIC SLIDING DOOR FULL BREAKOUT SINGLE NARROW STILE TRACKLESS

© DORMA USA Inc. Subject to Change Without Notice.

Date: 24-SEP-2015