

8260 Offset Round Entrance Pull Handles

dormakaba's offset round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The offset round section allows comfortable ease of use.


The 8260 offset round entry pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request

Please refer to ordering details for a range of optional accessories to suit:


- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors




dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note
Nylon spacers and washers are included with handle for glass door fixing option.

Legend
01 Spacer **03** Grub Screw **05** Disc
02 Washer **04** Bolt **06** Coach Bolt

TIMBER DOOR FIXING


| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 5mm |
| 16mm Ø | 5mm |
| 19mm Ø | 8mm |
| 25mm Ø | 8mm |
| 32mm Ø | 8mm |

METAL DOOR FIXING

| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 5mm |
| 16mm Ø | 5mm |
| 19mm Ø | 8mm |
| 25mm Ø | 8mm |
| 32mm Ø | 8mm |

GLASS DOOR FIXING

| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 12mm Ø |
| 16mm Ø | 12mm Ø |
| 19mm Ø | 12mm Ø |
| 25mm Ø | 12mm Ø |
| 32mm Ø | 12mm Ø |



Ordering details

| Item | Article Number | Description | Diameter | Projection | Length | Fixing Centres |
|----------------------------|----------------|------------------------------------|----------|------------|--------|----------------|
| BACK TO BACK FIXING | | | | | | |
| B8260/1000/38/PSS | 9458266656102 | B8260/1000/38 OA 1100 CTC 1000 PSS | 38mm | 95mm | 1100mm | 1000mm |
| B8260/1000/38/SSS | 9458266656101 | B8260/1000/38 OA 1100 CTC 1000 SSS | 38mm | 95mm | 1100mm | 1000mm |
| B8260/1100/38/PSS | 9458267016102 | B8260/1100/38 OA 1200 CTC 1100 PSS | 38mm | 95mm | 1200mm | 1100mm |
| B8260/1100/38/SSS | 9458267016101 | B8260/1100/38 OA 1200 CTC 1100 SSS | 38mm | 95mm | 1200mm | 1100mm |
| B8260/1200/38/PSS | 9458267406102 | B8260/1200/38 OA 1300 CTC 1200 PSS | 38mm | 95mm | 1300mm | 1200mm |
| B8260/1200/38/SSS | 9458267406101 | B8260/1200/38 OA 1300 CTC 1200 SSS | 38mm | 95mm | 1300mm | 1200mm |
| B8260/1300/38/PSS | 9458267736102 | B8260/1300/38 OA 1400 CTC 1300 PSS | 38mm | 95mm | 1400mm | 1300mm |
| B8260/1300/38/SSS | 9458267736101 | B8260/1300/38 OA 1400 CTC 1300 SSS | 38mm | 95mm | 1400mm | 1300mm |
| B8260/1400/38/PSS | 9458268096102 | B8260/1400/38 OA 1500 CTC 1400 PSS | 38mm | 95mm | 1500mm | 1400mm |
| B8260/1400/38/SSS | 9458268096101 | B8260/1400/38 OA 1500 CTC 1400 SSS | 38mm | 95mm | 1500mm | 1400mm |
| B8260/1500/38/PSS | 9458268396102 | B8260/1500/38 OA 1600 CTC 1500 PSS | 38mm | 95mm | 1600mm | 1500mm |
| B8260/1500/38/SSS | 9458268396101 | B8260/1500/38 OA 1600 CTC 1500 SSS | 38mm | 95mm | 1600mm | 1500mm |
| B8260/1600/38/PSS | 9458268726102 | B8260/1600/38 OA 1700 CTC 1600 PSS | 38mm | 95mm | 1700mm | 1600mm |
| B8260/1600/38/SSS | 9458268726101 | B8260/1600/38 OA 1700 CTC 1600 SSS | 38mm | 95mm | 1700mm | 1600mm |
| B8260/1700/38/PSS | 9458268906102 | B8260/1700/38 OA 1800 CTC 1700 PSS | 38mm | 95mm | 1800mm | 1700mm |
| B8260/1700/38/SSS | 9458268906101 | B8260/1700/38 OA 1800 CTC 1700 SSS | 38mm | 95mm | 1800mm | 1700mm |
| B8260/1800/38/PSS | 9458269056102 | B8260/1800/38 OA 1900 CTC 1800 PSS | 38mm | 95mm | 1900mm | 1800mm |
| B8260/1800/38/SSS | 9458269056101 | B8260/1800/38 OA 1900 CTC 1800 SSS | 38mm | 95mm | 1900mm | 1800mm |
| B8260/1900/38/PSS | 9458269236102 | B8260/1900/38 OA 2000 CTC 1900 PSS | 38mm | 95mm | 2000mm | 1900mm |
| B8260/1900/38/SSS | 9458269236101 | B8260/1900/38 OA 2000 CTC 1900 SSS | 38mm | 95mm | 2000mm | 1900mm |
| B8260/2000/38/PSS | 9458269386102 | B8260/2000/38 OA 2100 CTC 2000 PSS | 38mm | 95mm | 2100mm | 2000mm |
| B8260/2000/38/SSS | 9458269386101 | B8260/2000/38 OA 2100 CTC 2000 SSS | 38mm | 95mm | 2100mm | 2000mm |
| B8260/2100/38/PSS | 9458269536102 | B8260/2100/38 OA 2200 CTC 2100 PSS | 38mm | 95mm | 2200mm | 2100mm |
| B8260/2100/38/SSS | 9458269536101 | B8260/2100/38 OA 2200 CTC 2100 SSS | 38mm | 95mm | 2200mm | 2100mm |
| B8260/2200/38/PSS | 9458269656102 | B8260/2200/38 OA 2300 CTC 2200 PSS | 38mm | 95mm | 2300mm | 2200mm |
| B8260/2200/38/SSS | 9458269656101 | B8260/2200/38 OA 2300 CTC 2200 SSS | 38mm | 95mm | 2300mm | 2200mm |
| B8260/2300/38/PSS | 9458269806102 | B8260/2300/38 OA 2400 CTC 2300 PSS | 38mm | 95mm | 2400mm | 2300mm |
| B8260/2300/38/SSS | 9458269806101 | B8260/2300/38 OA 2400 CTC 2300 SSS | 38mm | 95mm | 2400mm | 2300mm |
| B8260/300/38/PSS | 9458262846102 | B8260/300/38 OA 400 CTC 300 PSS | 38mm | 95mm | 400mm | 300mm |
| B8260/300/38/SSS | 9458262846101 | B8260/300/38 OA 400 CTC 300 SSS | 38mm | 95mm | 400mm | 300mm |
| B8260/400/38/PSS | 9458263536102 | B8260/400/38 OA 500 CTC 400 PSS | 38mm | 95mm | 500mm | 400mm |
| B8260/400/38/SSS | 9458263536101 | B8260/400/38 OA 500 CTC 400 SSS | 38mm | 95mm | 500mm | 400mm |
| B8260/500/38/PSS | 9458264256102 | B8260/500/38 OA 600 CTC 500 PSS | 38mm | 95mm | 600mm | 500mm |
| B8260/500/38/SSS | 9458264256101 | B8260/500/38 OA 600 CTC 500 SSS | 38mm | 95mm | 600mm | 500mm |
| B8260/600/38/PSS | 9458264736102 | B8260/600/38 OA 700 CTC 600 PSS | 38mm | 95mm | 700mm | 600mm |
| B8260/600/38/SSS | 9458264736101 | B8260/600/38 OA 700 CTC 600 SSS | 38mm | 95mm | 700mm | 600mm |
| B8260/700/38/PSS | 9458265246102 | B8260/700/38 OA 800 CTC 700 PSS | 38mm | 95mm | 800mm | 700mm |
| B8260/700/38/SSS | 9458265246101 | B8260/700/38 OA 800 CTC 700 SSS | 38mm | 95mm | 800mm | 700mm |
| B8260/800/38/PSS | 9458265816102 | B8260/800/38 OA 900 CTC 800 PSS | 38mm | 95mm | 900mm | 800mm |
| B8260/800/38/SSS | 9458265816101 | B8260/800/38 OA 900 CTC 800 SSS | 38mm | 95mm | 900mm | 800mm |

Ordering details

| Item | Article Number | Description | Diameter | Projection | Length | Fixing Centres |
|------------------|----------------|----------------------------------|----------|------------|--------|----------------|
| B8260/900/38/PSS | 9458266236102 | B8260/900/38 OA 1000 CTC 900 PSS | 38mm | 95mm | 1000mm | 900mm |
| B8260/900/38/SSS | 9458266236101 | B8260/900/38 OA 1000 CTC 900 SSS | 38mm | 95mm | 1000mm | 900mm |

ACCESSORIES - EXTENDED FIXINGS

| Item | Article Number | Description | Diameter | Projection | Length | Fixing Centres |
|-----------|----------------|----------------------------------|----------|------------|--------|----------------|
| TM/M8/50 | 9459508058200 | M8/50 FERULE HEAD BOLT TM FIX | | | | |
| TM/M8/75 | 9459758078200 | M8/75 FERULE HEAD BOLT TM FIX | | | | |
| TM/M8/90 | 9400000012887 | M8/90 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/100 | 9400000012888 | M8/100 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/110 | 9459118118200 | M8/110 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/120 | 9459128128200 | M8/120 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/130 | 9459138138200 | M8/130 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/150 | 9459158158200 | M8/150 BOLT & 16MM FERULE TM FIX | | | | |

Note: When ordering extended fixings please use the below formula.
Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.

ACCESSORIES - GLASS FIXINGS

| | | | | | | |
|------------------|---------------|-----------------------------------|--|--|--|--|
| GF8260/8480/8485 | 9400000014833 | 8260/8480/8485 GLASS FIXING PAIRS | | | | |
|------------------|---------------|-----------------------------------|--|--|--|--|

CONCEALED FIXING

| | | | | | | |
|-------------------|---------------|------------------------------------|------|------|--------|--------|
| C8260/1000/38/PSS | 9458266656202 | C8260/1000/38 OA 1100 CTC 1000 PSS | 38mm | 95mm | 1100mm | 1000mm |
| C8260/1000/38/SSS | 9458266656201 | C8260/1000/38 OA 1100 CTC 1000 SSS | 38mm | 95mm | 1100mm | 1000mm |
| C8260/1100/38/PSS | 9458267016202 | C8260/1100/38 OA 1200 CTC 1100 PSS | 38mm | 95mm | 1200mm | 1100mm |
| C8260/1100/38/SSS | 9458267016201 | C8260/1100/38 OA 1200 CTC 1100 SSS | 38mm | 95mm | 1200mm | 1100mm |
| C8260/1200/38/PSS | 9458267406202 | C8260/1200/38 OA 1300 CTC 1200 PSS | 38mm | 95mm | 1300mm | 1200mm |
| C8260/1200/38/SSS | 9458267406201 | C8260/1200/38 OA 1300 CTC 1200 SSS | 38mm | 95mm | 1300mm | 1200mm |
| C8260/1300/38/PSS | 9458267736202 | C8260/1300/38 OA 1400 CTC 1300 PSS | 38mm | 95mm | 1400mm | 1300mm |
| C8260/1300/38/SSS | 9458267736201 | C8260/1300/38 OA 1400 CTC 1300 SSS | 38mm | 95mm | 1400mm | 1300mm |
| C8260/1400/38/PSS | 9458268096202 | C8260/1400/38 OA 1500 CTC 1400 PSS | 38mm | 95mm | 1500mm | 1400mm |
| C8260/1400/38/SSS | 9458268096201 | C8260/1400/38 OA 1500 CTC 1400 SSS | 38mm | 95mm | 1500mm | 1400mm |
| C8260/1500/38/PSS | 9458268396202 | C8260/1500/38 OA 1600 CTC 1500 PSS | 38mm | 95mm | 1600mm | 1500mm |
| C8260/1500/38/SSS | 9458268396201 | C8260/1500/38 OA 1600 CTC 1500 SSS | 38mm | 95mm | 1600mm | 1500mm |
| C8260/1600/38/PSS | 9458268726202 | C8260/1600/38 OA 1700 CTC 1600 PSS | 38mm | 95mm | 1700mm | 1600mm |
| C8260/1600/38/SSS | 9458268726201 | C8260/1600/38 OA 1700 CTC 1600 SSS | 38mm | 95mm | 1700mm | 1600mm |
| C8260/1700/38/PSS | 9458268906202 | C8260/1700/38 OA 1800 CTC 1700 PSS | 38mm | 95mm | 1800mm | 1700mm |
| C8260/1700/38/SSS | 9458268906201 | C8260/1700/38 OA 1800 CTC 1700 SSS | 38mm | 95mm | 1800mm | 1700mm |
| C8260/1800/38/PSS | 9458269056202 | C8260/1800/38 OA 1900 CTC 1800 PSS | 38mm | 95mm | 1900mm | 1800mm |
| C8260/1800/38/SSS | 9458269056201 | C8260/1800/38 OA 1900 CTC 1800 SSS | 38mm | 95mm | 1900mm | 1800mm |
| C8260/1900/38/PSS | 9458269236202 | C8260/1900/38 OA 2000 CTC 1900 PSS | 38mm | 95mm | 2000mm | 1900mm |
| C8260/1900/38/SSS | 9458269236201 | C8260/1900/38 OA 2000 CTC 1900 SSS | 38mm | 95mm | 2000mm | 1900mm |
| C8260/2000/38/PSS | 9458269386202 | C8260/2000/38 OA 2100 CTC 2000 PSS | 38mm | 95mm | 2100mm | 2000mm |
| C8260/2000/38/SSS | 9458269386201 | C8260/2000/38 OA 2100 CTC 2000 SSS | 38mm | 95mm | 2100mm | 2000mm |
| C8260/2100/38/PSS | 9458269536202 | C8260/2100/38 OA 2200 CTC 2100 PSS | 38mm | 95mm | 2200mm | 2100mm |
| C8260/2100/38/SSS | 9458269536201 | C8260/2100/38 OA 2200 CTC 2100 SSS | 38mm | 95mm | 2200mm | 2100mm |
| C8260/2200/38/PSS | 9458269656202 | C8260/2200/38 OA 2300 CTC 2200 PSS | 38mm | 95mm | 2300mm | 2200mm |
| C8260/2200/38/SSS | 9458269656201 | C8260/2200/38 OA 2300 CTC 2200 SSS | 38mm | 95mm | 2300mm | 2200mm |

Ordering details

| Item | Article Number | Description | Diameter | Projection | Length | Fixing Centres |
|-------------------|----------------|------------------------------------|----------|------------|--------|----------------|
| C8260/2300/38/PSS | 9458269806202 | C8260/2300/38 OA 2400 CTC 2300 PSS | 38mm | 95mm | 2400mm | 2300mm |
| C8260/2300/38/SSS | 9458269806201 | C8260/2300/38 OA 2400 CTC 2300 SSS | 38mm | 95mm | 2400mm | 2300mm |
| C8260/300/38/PSS | 9458262846202 | C8260/300/38 OA 400 CTC 300 PSS | 38mm | 95mm | 400mm | 300mm |
| C8260/300/38/SSS | 9458262846201 | C8260/300/38 OA 400 CTC 300 SSS | 38mm | 95mm | 400mm | 300mm |
| C8260/400/38/PSS | 9458263536202 | C8260/400/38 OA 500 CTC 400 PSS | 38mm | 95mm | 500mm | 400mm |
| C8260/400/38/SSS | 9458263536201 | C8260/400/38 OA 500 CTC 400 SSS | 38mm | 95mm | 500mm | 400mm |
| C8260/500/38/PSS | 9458264256202 | C8260/500/38 OA 600 CTC 500 PSS | 38mm | 95mm | 600mm | 500mm |
| C8260/500/38/SSS | 9458264256201 | C8260/500/38 OA 600 CTC 500 SSS | 38mm | 95mm | 600mm | 500mm |
| C8260/600/38/PSS | 9458264736202 | C8260/600/38 OA 700 CTC 600 PSS | 38mm | 95mm | 700mm | 600mm |
| C8260/600/38/SSS | 9458264736201 | C8260/600/38 OA 700 CTC 600 SSS | 38mm | 95mm | 700mm | 600mm |
| C8260/700/38/PSS | 9458265246202 | C8260/700/38 OA 800 CTC 700 PSS | 38mm | 95mm | 800mm | 700mm |
| C8260/700/38/SSS | 9458265246201 | C8260/700/38 OA 800 CTC 700 SSS | 38mm | 95mm | 800mm | 700mm |
| C8260/800/38/PSS | 9458265816202 | C8260/800/38 OA 900 CTC 800 PSS | 38mm | 95mm | 900mm | 800mm |
| C8260/800/38/SSS | 9458265816201 | C8260/800/38 OA 900 CTC 800 SSS | 38mm | 95mm | 900mm | 800mm |
| C8260/900/38/PSS | 9458266236202 | C8260/900/38 OA 1000 CTC 900 PSS | 38mm | 95mm | 1000mm | 900mm |
| C8260/900/38/SSS | 9458266236201 | C8260/900/38 OA 1000 CTC 900 SSS | 38mm | 95mm | 1000mm | 900mm |

| DISC FIXING | | | | | | |
|-------------------|---------------|------------------------------------|------|------|--------|--------|
| D8260/1000/38/PSS | 9458266656302 | D8260/1000/38 OA 1100 CTC 1000 PSS | 38mm | 95mm | 1100mm | 1000mm |
| D8260/1000/38/SSS | 9458266656301 | D8260/1000/38 OA 1100 CTC 1000 SSS | 38mm | 95mm | 1100mm | 1000mm |
| D8260/1100/38/PSS | 9458267016302 | D8260/1100/38 OA 1200 CTC 1100 PSS | 38mm | 95mm | 1200mm | 1100mm |
| D8260/1100/38/SSS | 9458267016301 | D8260/1100/38 OA 1200 CTC 1100 SSS | 38mm | 95mm | 1200mm | 1100mm |
| D8260/1200/38/PSS | 9458267406302 | D8260/1200/38 OA 1300 CTC 1200 PSS | 38mm | 95mm | 1300mm | 1200mm |
| D8260/1200/38/SSS | 9458267406301 | D8260/1200/38 OA 1300 CTC 1200 SSS | 38mm | 95mm | 1300mm | 1200mm |
| D8260/1300/38/PSS | 9458267736302 | D8260/1300/38 OA 1400 CTC 1300 PSS | 38mm | 95mm | 1400mm | 1300mm |
| D8260/1300/38/SSS | 9458267736301 | D8260/1300/38 OA 1400 CTC 1300 SSS | 38mm | 95mm | 1400mm | 1300mm |
| D8260/1400/38/PSS | 9458268096302 | D8260/1400/38 OA 1500 CTC 1400 PSS | 38mm | 95mm | 1500mm | 1400mm |
| D8260/1400/38/SSS | 9458268096301 | D8260/1400/38 OA 1500 CTC 1400 SSS | 38mm | 95mm | 1500mm | 1400mm |
| D8260/1500/38/PSS | 9458268396302 | D8260/1500/38 OA 1600 CTC 1500 PSS | 38mm | 95mm | 1600mm | 1500mm |
| D8260/1500/38/SSS | 9458268396301 | D8260/1500/38 OA 1600 CTC 1500 SSS | 38mm | 95mm | 1600mm | 1500mm |
| D8260/1600/38/PSS | 9458268726302 | D8260/1600/38 OA 1700 CTC 1600 PSS | 38mm | 95mm | 1700mm | 1600mm |
| D8260/1600/38/SSS | 9458268726301 | D8260/1600/38 OA 1700 CTC 1600 SSS | 38mm | 95mm | 1700mm | 1600mm |
| D8260/1700/38/PSS | 9458268906302 | D8260/1700/38 OA 1800 CTC 1700 PSS | 38mm | 95mm | 1800mm | 1700mm |
| D8260/1700/38/SSS | 9458268906301 | D8260/1700/38 OA 1800 CTC 1700 SSS | 38mm | 95mm | 1800mm | 1700mm |
| D8260/1800/38/PSS | 9458269056302 | D8260/1800/38 OA 1900 CTC 1800 PSS | 38mm | 95mm | 1900mm | 1800mm |
| D8260/1800/38/SSS | 9458269056301 | D8260/1800/38 OA 1900 CTC 1800 SSS | 38mm | 95mm | 1900mm | 1800mm |
| D8260/1900/38/PSS | 9458269236302 | D8260/1900/38 OA 2000 CTC 1900 PSS | 38mm | 95mm | 2000mm | 1900mm |
| D8260/1900/38/SSS | 9458269236301 | D8260/1900/38 OA 2000 CTC 1900 SSS | 38mm | 95mm | 2000mm | 1900mm |
| D8260/2000/38/PSS | 9458269386302 | D8260/2000/38 OA 2100 CTC 2000 PSS | 38mm | 95mm | 2100mm | 2000mm |
| D8260/2000/38/SSS | 9458269386301 | D8260/2000/38 OA 2100 CTC 2000 SSS | 38mm | 95mm | 2100mm | 2000mm |

Ordering details

| Item | Article Number | Description | Diameter | Projection | Length | Fixing Centres |
|---------------------------------------|----------------|--------------------------------------|----------|------------|--------|----------------|
| D8260/2100/38/PSS | 9458269536302 | D8260/2100/38 OA 2200 CTC 2100 PSS | 38mm | 95mm | 2200mm | 2100mm |
| D8260/2100/38/SSS | 9458269536301 | D8260/2100/38 OA 2200 CTC 2100 SSS | 38mm | 95mm | 2200mm | 2100mm |
| D8260/2200/38/PSS | 9458269656302 | D8260/2200/38 OA 2300 CTC 2200 PSS | 38mm | 95mm | 2300mm | 2200mm |
| D8260/2200/38/SSS | 9458269656301 | D8260/2200/38 OA 2300 CTC 2200 SSS | 38mm | 95mm | 2300mm | 2200mm |
| D8260/2300/38/PSS | 9458269806302 | D8260/2300/38 OA 2400 CTC 2300 PSS | 38mm | 95mm | 2400mm | 2300mm |
| D8260/2300/38/SSS | 9458269806301 | D8260/2300/38 OA 2400 CTC 2300 SSS | 38mm | 95mm | 2400mm | 2300mm |
| D8260/300/38/PSS | 9458262846302 | D8260/300/38 OA 400 CTC 300 PSS | 38mm | 95mm | 400mm | 300mm |
| D8260/300/38/SSS | 9458262846301 | D8260/300/38 OA 400 CTC 300 SSS | 38mm | 95mm | 400mm | 300mm |
| D8260/400/38/PSS | 9458263536302 | D8260/400/38 OA 500 CTC 400 PSS | 38mm | 95mm | 500mm | 400mm |
| D8260/400/38/SSS | 9458263536301 | D8260/400/38 OA 500 CTC 400 SSS | 38mm | 95mm | 500mm | 400mm |
| D8260/500/38/PSS | 9458264256302 | D8260/500/38 OA 600 CTC 500 PSS | 38mm | 95mm | 600mm | 500mm |
| D8260/500/38/SSS | 9458264256301 | D8260/500/38 OA 600 CTC 500 SSS | 38mm | 95mm | 600mm | 500mm |
| D8260/600/38/PSS | 9458264736302 | D8260/600/38 OA 700 CTC 600 PSS | 38mm | 95mm | 700mm | 600mm |
| D8260/600/38/SSS | 9458264736301 | D8260/600/38 OA 700 CTC 600 SSS | 38mm | 95mm | 700mm | 600mm |
| D8260/700/38/PSS | 9458265246302 | D8260/700/38 OA 800 CTC 700 PSS | 38mm | 95mm | 800mm | 700mm |
| D8260/700/38/SSS | 9458265246301 | D8260/700/38 OA 800 CTC 700 SSS | 38mm | 95mm | 800mm | 700mm |
| D8260/800/38/PSS | 9458265816302 | D8260/800/38 OA 900 CTC 800 PSS | 38mm | 95mm | 900mm | 800mm |
| D8260/800/38/SSS | 9458265816301 | D8260/800/38 OA 900 CTC 800 SSS | 38mm | 95mm | 900mm | 800mm |
| D8260/900/38/PSS | 9458266236302 | D8260/900/38 OA 1000 CTC 900 PSS | 38mm | 95mm | 1000mm | 900mm |
| D8260/900/38/SSS | 9458266236301 | D8260/900/38 OA 1000 CTC 900 SSS | 38mm | 95mm | 1000mm | 900mm |
| D6250/Q/19/SSS | 9457255063301 | D6250/Q/19 OA 800 CTC 640 SSS | 19mm | 65mm | 800mm | 640mm |
| D6250/R/19/PSS | 9457254583302 | D6250/R/19 OA 700 CTC 540 PSS | 19mm | 65mm | 700mm | 540mm |
| D6250/R/19/SSS | 9457254583301 | D6250/R/19 OA 700 CTC 540 SSS | 19mm | 65mm | 700mm | 540mm |
| D6250/S/19/PSS | 9457253893302 | D6250/S/19 OA 600 CTC 440 PSS | 19mm | 65mm | 600mm | 440mm |
| D6250/S/19/SSS | 9457253893301 | D6250/S/19 OA 600 CTC 440 SSS | 19mm | 65mm | 600mm | 440mm |
| D6250/T/19/PSS | 9457253203302 | D6250/T/19 OA 500 CTC 340 PSS | 19mm | 65mm | 500mm | 340mm |
| D6250/T/19/SSS | 9457253203301 | D6250/T/19 OA 500 CTC 340 SSS | 19mm | 65mm | 500mm | 340mm |
| D6250/U/19/PSS | 9457252483302 | D6250/U/19 OA 400 CTC 240 PSS | 19mm | 65mm | 400mm | 240mm |
| D6250/U/19/SSS | 9457252483301 | D6250/U/19 OA 400 CTC 240 SSS | 19mm | 65mm | 400mm | 240mm |
| ACCESSORIES - EXTENDED FIXINGS | | | | | | |
| DF32/M8/75 PSS | 9459753288102 | 32MM DISK FIX PAIR M8X75MM PSS | | | | |
| DF32/M8/75 SSS | 9400000014109 | 32MM DISK FIX PAIR M8X75MM SSS | | | | |
| ACCESSORIES - GLASS FIXINGS | | | | | | |
| GDF32/M8/50 PSS | 9459503288102 | 32MM GLASS DISK FIX PSS PAIR M8X50MM | | | | |
| GDF32/M8/50 SSS | 9459503288101 | 32MM GLASS DISK FIX SSS PAIR M8X50MM | | | | |