



## 5200 Straight Round Entrance Pull Handles

dormakaba's straight round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The round section allows comfortable ease of use.

The 5200 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Please refer to ordering details for a range of optional accessories to suit:

- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors


### Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request


dormakaba Australia  
Head Office  
12-13 Dansu Court  
Hallam VIC 3803  
T: 1800 675 411  
[info.au@dormakaba.com](mailto:info.au@dormakaba.com)  
[www.dormakaba.com.au](http://www.dormakaba.com.au)

dormakaba New Zealand  
Head Office  
Building P, 61-69 Patiki Road  
Avondale, Auckland 1026  
T: 0800 436 762  
[info.nz@dormakaba.com](mailto:info.nz@dormakaba.com)  
[www.dormakaba.co.nz](http://www.dormakaba.co.nz)


# Fixing options




**GD FIX** - glass doors



**TM FIX** - timber or metal doors



**D FIX** - glass, metal or timber doors



**C FIX** - timber doors only

**Note**  
Nylon spacers and washers are included with handle for glass door fixing option.

**Legend**  
**01** Spacer      **03** Grub Screw      **05** Disc  
**02** Washer      **04** Bolt                      **06** Coach Bolt

## TIMBER DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

## METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

## GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø

# Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
<b>BACK TO BACK FIXING</b>					
B5200/K/14/PSS	9457207611102	B5200/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
B5200/K/14/SSS	9457207611101	B5200/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
B5200/K/16/PSS	9457207612102	B5200/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
B5200/K/16/SSS	9457207612101	B5200/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
B5200/L/14/PSS	9457207221102	B5200/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
B5200/L/14/SSS	9457207221101	B5200/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
B5200/L/16/PSS	9457207222102	B5200/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
B5200/L/16/SSS	9457207222101	B5200/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
B5200/M/14/PSS	9457206891102	B5200/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
B5200/M/14/SSS	9457206891101	B5200/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
B5200/M/16/PSS	9457206892102	B5200/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
B5200/M/16/SSS	9457206892101	B5200/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
B5200/N/14/PSS	9457206471102	B5200/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
B5200/N/14/SSS	9457206471101	B5200/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
B5200/N/16/PSS	9457206472102	B5200/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
B5200/N/16/SSS	9457206472101	B5200/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
B5200/O/14/PSS	9457206081102	B5200/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
B5200/O/14/SSS	9457206081101	B5200/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm
B5200/O/16/PSS	9457206082102	B5200/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
B5200/O/16/SSS	9457206082101	B5200/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm
B5200/P/14/PSS	9457205511102	B5200/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
B5200/P/14/SSS	9457205511101	B5200/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
B5200/P/16/PSS	9457205512102	B5200/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
B5200/P/16/SSS	9457205512101	B5200/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm
B5200/Q/14/PSS	9457205061102	B5200/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
B5200/Q/14/SSS	9457205061101	B5200/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm
B5200/Q/16/PSS	9457205062102	B5200/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
B5200/Q/16/SSS	9457205062101	B5200/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
B5200/R/14/PSS	9457204581102	B5200/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
B5200/R/14/SSS	9457204581101	B5200/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
B5200/R/16/PSS	9457204582102	B5200/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
B5200/R/16/SSS	9457204582101	B5200/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
B5200/S/14/PSS	9457203891102	B5200/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
B5200/S/14/SSS	9457203891101	B5200/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
B5200/S/16/PSS	9457203892102	B5200/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
B5200/S/16/SSS	9457203892101	B5200/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
B5200/T/14/PSS	9457203201102	B5200/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
B5200/T/14/SSS	9457203201101	B5200/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm

# Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
B5200/T/16/PSS	9457203202102	B5200/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm
B5200/T/16/SSS	9457203202101	B5200/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
B5200/U/14/PSS	9457202481102	B5200/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
B5200/U/14/SSS	9457202481101	B5200/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
B5200/U/16/PSS	9457202482102	B5200/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
B5200/U/16/SSS	9457202482101	B5200/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm

## ACCESSORIES - EXTENDED FIXINGS - sold as a pair

TM/M5/50	9459405045200	M5/50 BOLT & 10MM FERULE TM FIX	<b>Note: When ordering extended fixings please use the below formula.</b>  Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.
TM/M5/75	9459705075200	M5/75 BOLT & 10MM FERULE TM FIX	
TM/M5/100	9459505055200	M5/100 BOLT & 10MM FERULE TM FIX	

## ACCESSORIES - GLASS FIXINGS - sold as a pair

GF14/M5/50 RND	9459501455301	14 DIA RND GLASS FIXING PAIRS
GF16/M5/50 RND	9459501655301	16 DIA RND GLASS FIXING PAIRS

## CONCEALED FIXING

C5200/K/14/PSS	9457207611202	C5200/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
C5200/K/14/SSS	9457207611201	C5200/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
C5200/K/16/PSS	9457207612202	C5200/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
C5200/K/16/SSS	9457207612201	C5200/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
C5200/L/14/PSS	9457207221202	C5200/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
C5200/L/14/SSS	9457207221201	C5200/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
C5200/L/16/PSS	9457207222202	C5200/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
C5200/L/16/SSS	9457207222201	C5200/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
C5200/M/14/PSS	9457206891202	C5200/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
C5200/M/14/SSS	9457206891201	C5200/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
C5200/M/16/PSS	9457206892202	C5200/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
C5200/M/16/SSS	9457206892201	C5200/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
C5200/N/14/PSS	9457206471202	C5200/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
C5200/N/14/SSS	9457206471201	C5200/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
C5200/N/16/PSS	9457206472202	C5200/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
C5200/N/16/SSS	9457206472201	C5200/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
C5200/O/14/PSS	9457206081202	C5200/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
C5200/O/14/SSS	9457206081201	C5200/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm
C5200/O/16/PSS	9457206082202	C5200/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
C5200/O/16/SSS	9457206082201	C5200/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm
C5200/P/14/PSS	9457205511202	C5200/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
C5200/P/14/SSS	9457205511201	C5200/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
C5200/P/16/PSS	9457205512202	C5200/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
C5200/P/16/SSS	9457205512201	C5200/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm

# Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
C5200/Q/14/PSS	9457205061202	C5200/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
C5200/Q/14/SSS	9457205061201	C5200/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm
C5200/Q/16/PSS	9457205062202	C5200/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
C5200/Q/16/SSS	9457205062201	C5200/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
C5200/R/14/PSS	9457204581202	C5200/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
C5200/R/14/SSS	9457204581201	C5200/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
C5200/R/16/PSS	9457204582202	C5200/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
C5200/R/16/SSS	9457204582201	C5200/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
C5200/S/14/PSS	9457203891202	C5200/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
C5200/S/14/SSS	9457203891201	C5200/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
C5200/S/16/PSS	9457203892202	C5200/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
C5200/S/16/SSS	9457203892201	C5200/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
C5200/T/14/PSS	9457203201202	C5200/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
C5200/T/14/SSS	9457203201201	C5200/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm
C5200/T/16/PSS	9457203202202	C5200/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm
C5200/T/16/SSS	9457203202201	C5200/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
C5200/U/14/PSS	9457202481202	C5200/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
C5200/U/14/SSS	9457202481201	C5200/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
C5200/U/16/PSS	9457202482202	C5200/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
C5200/U/16/SSS	9457202482201	C5200/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm

<b>DISC FIXING</b>					
D5200/K/14/PSS	9457207611302	D5200/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
D5200/K/14/SSS	9457207611301	D5200/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
D5200/K/16/PSS	9457207612302	D5200/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
D5200/K/16/SSS	9457207612301	D5200/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
D5200/L/14/PSS	9457207221302	D5200/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
D5200/L/14/SSS	9457207221301	D5200/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
D5200/L/16/PSS	9457207222302	D5200/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
D5200/L/16/SSS	9457207222301	D5200/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
D5200/M/14/PSS	9457206891302	D5200/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
D5200/M/14/SSS	9457206891301	D5200/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
D5200/M/16/PSS	9457206892302	D5200/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
D5200/M/16/SSS	9457206892301	D5200/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
D5200/N/14/PSS	9457206471302	D5200/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
D5200/N/14/SSS	9457206471301	D5200/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
D5200/N/16/PSS	9457206472302	D5200/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
D5200/N/16/SSS	9457206472301	D5200/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
D5200/O/14/PSS	9457206081302	D5200/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
D5200/O/14/SSS	9457206081301	D5200/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm

# Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
D5200/O/16/PSS	9457206082302	D5200/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
D5200/O/16/SSS	9457206082301	D5200/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm
D5200/P/14/PSS	9457205511302	D5200/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
D5200/P/14/SSS	9457205511301	D5200/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
D5200/P/16/PSS	9457205512302	D5200/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
D5200/P/16/SSS	9457205512301	D5200/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm
D5200/Q/14/PSS	9457205061302	D5200/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
D5200/Q/14/SSS	9457205061301	D5200/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm
D5200/Q/16/PSS	9457205062302	D5200/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
D5200/Q/16/SSS	9457205062301	D5200/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
D5200/R/14/PSS	9457204581302	D5200/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
D5200/R/14/SSS	9457204581301	D5200/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
D5200/R/16/PSS	9457204582302	D5200/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
D5200/R/16/SSS	9457204582301	D5200/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
D5200/S/14/PSS	9457203891302	D5200/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
D5200/S/14/SSS	9457203891301	D5200/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
D5200/S/16/PSS	9457203892302	D5200/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
D5200/S/16/SSS	9457203892301	D5200/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
D5200/T/14/PSS	9457203201302	D5200/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
D5200/T/14/SSS	9457203201301	D5200/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm
D5200/T/16/PSS	9457203202302	D5200/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm
D5200/T/16/SSS	9457203202301	D5200/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
D5200/U/14/PSS	9457202481302	D5200/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
D5200/U/14/SSS	9457202481301	D5200/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
D5200/U/16/PSS	9457202482302	D5200/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
D5200/U/16/SSS	9457202482301	D5200/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm
<b>ACCESSORIES - EXTENDED FIXINGS - sold as a pair</b>					
DF14/M5/75 PSS	9459751455102	14MM DISK FIX PSS PAIR M5X75MM			
DF14/M5/75 SSS	9459751455101	14MM DISK FIX SSS PAIR M5X75MM			
DF16/M5/75 PSS	9459751655102	16MM DISK FIX PAIR M5X75MM PSS			
DF16/M5/75 SSS	9459751655101	16MM DISK FIX PAIR M5X75MM SSS			
<b>ACCESSORIES - GLASS FIXINGS - sold as a pair</b>					
GDF14/M5/50 PSS	9459501455102	14MM GLASS DISK FIX PAIR PSS M5X50MM			
GDF14/M5/50 SSS	9459501455101	14MM GLASS DISK FIX PAIR SSS M5X50MM			
GDF16/M5/50 PSS	9459501655102	16MM GLASS DISK FIX PAIR M5X50MM PSS			
GDF16/M5/50 SSS	9400000014107	16MM GLASS DISK FIX PAIR M5X50MM SSS			