

1 3/16" [30]

2 3/8" [60]

3 9/16" [90]

1 3/4" [44]

2 15/16" [74]

4 1/8" [104]

FOR ED250 ONLY

1. The ED100 & ED 250 Single Deep Pull package consists of:

A. Operator

ED100 LE / FE door leaf:

- Maximum 43" [1092] wide, 220 lbs [100].

• ED250 LE door leaf:

- Maximum 38" [965] wide at 265 lbs [120]

- Maximum 46" [1168] wide at 165 lbs [75].

• ED250 FE door leaf:

- Maximum 55" [1400] wide at 550 lbs [250]

- Maximum 63" [1600] wide at 420 lbs [190].

· Operator is NOT handed, can be Left or Right.

B. Standard Cover length at 27" [686] extruded aluminum with plastic endcaps

• Deep pull arm reveal = 0" to 2 1/4" [57] Max.

· Standard flush axle extension kit.

D. Connection Kit:

• #14 x 2-1/2" Phillips Flat Head Wood Screws.

• #14 x 1-1/4" Phillips Flat Head Self Drilling Screws.

• #8 x 1-3/4" SPAX pan head wood screws to mount track.

• M5 x 0.8 x 30mm pan head machine screws to mount track.

E. Required ANSI labels.

2. Finishes:

A. Extruded Cover:

- Clear (BHMA 204) or Dark Bronze (BHMA 313) anodized finish (Standard).
- Custom anodized.
- Cladding.

B. Endcaps:

Silver or black painted.

C. Arms:

· Silver or black painted.

3. Typical Package Options:

A. Professional cover (single) 30" [762] to 125" [3175].

B. dormakaba Upgrade cards. (See brochure for details).

· FE upgrade card.

• Fire Protection upgrade card.

• Professional upgrade card.

• Barrier-Free Toilet upgrade card.

C. Vario Cover Kit (a pair cover made with 2 singles) (see options page)

D. Axle extensions (See chart for available lengths).

E. Alternate pull arm with reveal = 0" to 1/8" [3] Max.

4. Drawing Notes:

A. Drawing dimensions are in English & Metric units. Metric units are displayed as: 1" [25] millimeters.

B. Operator dimensions:

• Width x Height x Depth: 27" [686] x 2 3/4" [70] x 5 1/8" [130].

Operator weight: 26.5 lb [12 kg].

C. Maximum opening angle of 110°.

D. See installation manual for further details

5. Power Requirements:

A. 120V +/- 10%, 50/60 Hz, 6.6A peak (per operator). Service to header by electrician.

6. Standards of Compliance:

A. UL 325 & CSA 22.2 (listed with ETL).

B. Designed to comply with these standards depending on installation and application:

• International Building Code (Section 1008).

• ANSI/ BHMA 156.10 (Requires additional overhead activation and safety sensors) (May also require guide rails depending on configuration)

• ANSI/ BHMA 156.19

(Requires additional knowing activation devices not shown in drawing). • NFPA 101 Life Safety Code (Section 7.2.1.9).

C. Refer to Local, State, National or AHJ. Building Code for minimum door height and minimum/maximum width allowable for egress requirements

D. Tested to UL 10B 90 min. fire rated door assembly.

7. Contact dormakaba Architectural Services for more information:

A. Phone: 1-844-SPEC-NOW (1-844-773-2669)

Drawing Title: ED100 & ED250 AUTOMATIC SWING DOOR

SINGLE DEEP PULL FE & LE SURFACE APPLIED

© dormakaba USA Inc. Subject to Change Without Notice. Date: 10-MAY-2022

