created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31870 CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: dormakaba's BTS 80 EMB concealed door closer represent the latest in builders hardware technology. The closer can be used in a number of different configurations, including standard, narrow, or wide doors, as well as left-hand and right-hand single- or doubleaction mounting (both single and double leaf doors, including double leaf doors in combination with a BSR door coordinator). A compact body permits use where larger closers would be prohibitive, and a comprehensive selection of accessories, ensures that the BTS 80 EMB can be used successfully with a wide variety of door constructions and floor coverings.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed C Not Completed

Explanation(s) provided:

Yes ○ No.

For all contents above the threshold, the manufacturer has:

Characterized ⊙ Yes ○ No

Provided weight and role.

Screened ⊙ Yes ○ No

Provided screening results using HPDC-approved methods. ⊙ Yes ○ No Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CONCEALED DOOR CLOSER BTS 80 EMB [IRON LT-P1 | END STEEL NoGS LUBRICATING OILS LT-1 | CAN | PBT | MUL ZINC LT-P1 | END | MUL | PHY | AQU BRASS NoGS COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU 304 STAINLESS STEEL NoGS ALUMINUM BM-1 | END | MAM | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

LCA: Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2023-03-23 PUBLISHED DATE: 2023-03-24

EXPIRY DATE: 2026-03-23



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CONCEALED DOOR CLOSER BTS 80 EMB

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

IRON ID: 7439-89-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-23 4:11:22 %: 54.0200 - 54.0200 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Hardware WARNINGS **HAZARD TYPE** LIST NAME AND SOURCE END Potential Endocrine Disruptor **TEDX - Potential Endocrine Disruptors** ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION No listings found on Additional Hazard Lists None found

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hardware (Closer Body - Floor spring)

STEEL ID: 12597-69-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-23 4:11:23 %: 37.1400 - 37.1400 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Hardware HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION No listings found on Additional Hazard Lists None found

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hardware (Closer Body - Floor spring)

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-23 4:11:23

LUBRICATING OILS ID: 74869-22-0

%: 4.0700 - 4.0700 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Lubricant

		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hydraulic fluid (Floor spring)

ZINC					ID: 7440-66-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENII			
%: 2.7500 - 2.7500	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РНҮ	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
РНҮ	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSI - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSI - Effective July 1, 2022

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hardware (Closer body - Floor spring)

BRASS ID: 12597-71-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-03-23 4:11:25				
%: 1.1600 - 1.1600	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware		
HAZARD TYPE	LIST NAME AND SOURCE	CE	WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hardware (Closer Body - Floor spring)

COPPER ID: 7440-50-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	ATE:	2023-03-23 4:11:2	3
%: 0.4800 - 0.4800	GreenScreen: LT-P1	RC: UNK	NANO:	No	SUBSTANCE ROLE: Electronic component
HAZARD TYPE	LIST NAME AND SOURCE	CE		WARNINGS	
GEN	GHS - New Zealand			Germ cell mutage	nicity category 1
EYE	GHS - New Zealand			Eye irritation cate	gory 2
MAM	GHS - Japan				mage to organs [Specific target organs/systemic single exposure - Category 1]
SKI	GHS - New Zealand			Skin sensitisation	category 1
MAM	GHS - New Zealand			Acute inhalation to	oxicity category 2
MAM	GHS - New Zealand			Acute oral toxicity	category 2
AQU	GHS - New Zealand			Hazardous to the	aquatic environment - acute category 1
AQU	GHS - New Zealand			Hazardous to the	aquatic environment - chronic category 2
AQU	GHS - Australia				uatic life with long lasting effects [Hazardous to nment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	CE .		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)			P&W - Precaution	ary List
				Precautionary list	of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Ins	stitute (GSPI)		GSPI - Six Classes	s of Problematic Chemicals
				Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Product (C2CPII)	ts Innovation Institute		C2C Certified v4 F - Effective July 1,	roduct Standard Restricted Substances List (RSL) 2022
				Biological and Env	rironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Product (C2CPII)	ts Innovation Institute		C2C Certified v4 F - Effective July 1,	roduct Standard Restricted Substances List (RSL) 2022
				Children's Produc	ts

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Electrical cable (Floor spring)

304 STAINLESS STEEL ID: 12597-68-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	2023-03-23 4:11:	24
%: 0.2400 - 0.2400	GreenScreen: NoGS	RC: UNK	NAI	NO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	E		WARNINGS	
None found					No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	E		NOTIFICATION	
None found					No listings found on Additional Hazard Lists

ALUMINUM ID: 91728-14-2

%: 0.1400	GreenScreen: BM-1	RC: UNK	NANO: N	o SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOU	IRCE	WARI	NINGS
END	TEDX - Potential Endo	ocrine Disruptors	Poter	ntial Endocrine Disruptor
MAM	GHS - Japan		expos	- Causes damage to organs through prolonged or repeated sure [Specific target organs/systemic toxicity following ated exposure - Category 1]
PHY	GHS - New Zealand		Flamr	mable solids category 1
MAM	GHS - Japan			- Causes damage to organs [Specific target organs/systemic ity following single exposure - Category 1]
PHY	GHS - Japan		and n	- In contact with water releases flammable gas [Substances nixtures, which in contact with water, emit flammable gases - gory 2]
PHY	GHS - Malaysia			- Catches fire spontaneously if exposed to air [Pyrophoric ls; Pyrophoric solids - Category 1]
PHY	GHS - Australia			- Catches fire spontaneously if exposed to air [Pyrophoric ls; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand		Pyrop	phoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOU	IRCE	NOTII	FICATION
RESTRICTED LIST	Cradle to Cradle Prod (C2CPII)	lucts Innovation Institute		Certified v4 Product Standard Restricted Substances List (RSL ective July 1, 2022
			Biolog	gical and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Prod (C2CPII)	lucts Innovation Institute		Certified v4 Product Standard Restricted Substances List (RSL active July 1, 2022
			Child	ren's Products

SUBSTANCE NOTES: Concealed Door Closer BTS 80 EMB Hardware (Closer body - Floor spring)

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: This HPD is for a product that is NOT

liquid/wet applied CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-03-23

EXPIRY DATE:

CERTIFIER OR LAB: None

LCA **Environmental Product** Declaration (EPD) by IBU

(Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Singapore

CERTIFICATE URL:

https://assets.ctfassets.net/y0dk4vkszqeh/1FtAZVORpdqR0hdy7n9VXe/20555fbda071ea6bb68f1065b73fdebb/BTS80_BTS80EMB_RTS80EMB_EN.pdf

CERTIFIER ISSUE DATE: OR LAB: 2020-Environmental 08-24 Product **EXPIRY** Declaration DATE: (EPD) by IBU 2025-(Institut Bauen 08-23 und Umwelt

e.V.)

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products, dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein. dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT. All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba ADDRESS: Hofwisenstrasse 24 Rümlang ZH 8153, Switzerland WEBSITE: www.dormakaba.com CONTACT NAME: https://www.dormakabagroup.com/en/contact

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eve irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted