Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1271447552

CLASSIFICATION: 08 42 33 Revolving Door Entrances

PRODUCT DESCRIPTION: The KTV revolving door range is designed for installation in entrance areas where interior environmental control coupled

with elegant aesthetics are desired. dormakaba KTV revolving doors hold back noise, dust and dirt, reliably protect employees near the entrances from drafts, and help to keep the heating costs down. They also allow for a smooth flow of traffic. Manual revolving doors (KTV M) are activated and rotated by the user pushing a handle.

🟮 Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
C Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- ⊙ 100 ppm C 1,000 ppm
- O Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- O Not Completed

Explanation(s) provided:

⊙ Yes ○ No.

For all contents above the threshold, the manufacturer has.

Characterized ⊙ Yes ○ No

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved methods.

○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MANUAL REVOLVING DOOR KTV M [SOLID / PLATE GLASS (USE SODA-LIME SILICATE GLASS [2446523-50-6] INSTEAD) LT-UNK ALUMINIUM NoGS STEEL NOGS STAINLESS STEEL NOGS WOOD NOGS KRAFT PAPER NOGS PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT NOGS ZINC, ELEMENTAL LT-P1 | END | MUL | PHY | AQU BRASS LT-1 | CAN | DEV | PBT | REP | AQU ELECTRONIC COMPONENT]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Electronics]

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions LCA: Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes

⊙ No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2023-06-20 PUBLISHED DATE: 2023-06-27 EXPIRY DATE: 2026-06-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

MANUAL REVOLVING DOOR KTV M

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

SOLID / PLATE GLASS (USE SODA-LIME SILICATE GLASS [2446523-50-6] INSTEAD)

ID: 65997-17-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	ATE: 2023-06-20 1:01:05	
%: 45.4900	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	LIST NAME AND SOURCE	=	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	.	NOTIFICATION	
EXEMPT	European Union / Europea	an Commission (EU EC)	EU - REACH Exem	ptions
			Exempted from RE	EACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: Glass is used as panel in the Manual Revolving Door KTV M

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	TE: 2023-06-20 1:35:06	
%: 32.8300	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	Ε	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	E	NOTIFICATION	
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Alı	uminum is used for Manual Revolving Door K	TV M housing/hardware.		

STEEL ID: 12597-69-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2023-06-20 1:35:	54
%: 4.6400	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURC	Ε	NOTIFICATION	
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Sto	eel is used for Manual Revolving Door KTV M	parts like piston, be	earing housing.	

STAINLESS STEEL ID: 12597-68-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING D.	ATE: 2023-06-20 1:36:55			
%: 4.5900	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware		
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	≣	NOTIFICATION			
None found				No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Satinless steel is used for hardware in Manual Revolving Door KTV M						

WOOD				ID: Not registered
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	TE: 2023-06-20 1:46:51	
%: 4.1500	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: W	ood is used as Installation material in Manual F	Revolving Door KTV M		

KRAFT PAPER				ID: Not registered
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2023-06-20 1:49:24	
%: 3.1200	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	<u> </u>	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Kr	aft paper is used for packaging, label for Man	ual Revolving Door KTV I	М	

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DAT	TE: 2023-06-20 1:44:27			
%: 2.8800	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer		
HAZARD TYPE	LIST NAME AND SOURCE	Ē	WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ē	NOTIFICATION			
None found				No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Plastics is used in the form of Roles, plastic foils for Manual Revolving Door KTV M						

ZINC, ELEMENTAL ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-20 1:39:57

%: 1.9900	GreenScreen: LT-P1	RC: UNK	NANO: No SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND	SOURCE	WARNINGS
END	TEDX - Potential	Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Su	bstances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Stat	ements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignit spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Stat	ements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Stat	ements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Stat	ements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zeala	nd	Pyrophoric solids category 1
PHY	GHS - New Zeala	nd	Self-heating substances and mixtures category 1
PHY	GHS - New Zeala	nd	Substances and mixtures which, in contact with water, emit flammable gases category 1
РНҮ	GHS - Australia		H260 - In contact with water releases flammable gases which may ignit spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zeala	nd	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zeala	nd	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND	SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Po	olicy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
			Antimicrobials
RESTRICTED LIST	Cradle to Cradle	Products Innovation Institute (C2C	CPII) C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle	Products Innovation Institute (C2C	CPII) C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Children's Products

SUBSTANCE NOTES: Zinc is used as part of hardware for Manual Revolving Door KTV M

ELECTRONIC COMPONENT ID: Electronic Component								
HAZARD DATA SOURCE: HPDC Special Conditions Policy								
%: 0.2900	: 0.2900 GreenScreen: Not Required RC: UNK NANO: No MATERIAL ROLE: Electronic component							
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS								
Hazard Screening is not applicable to this Special Condition								
INGREDIENT DESCRI	PTION: KTV 3 M and KTV 4 M are manua	I revolving doors with inte	grated LED spotlights.					
EU ROHS COMPLIAN	CE: Yes, 20111765/EU ROHS3 Directive							
END-OF-LIFE MANAG	END-OF-LIFE MANAGEMENT: No end-of-life management plan							
MATERIAL CONTENT	NOTES:							

DIAGG					ID. 00070-49-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENIN	IG DATE:	2023-06-20 1:39:16	
%: 0.0200	GreenScreen: LT-1	RC: UNK	NAN	IO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOUR	CE		WARNINGS	
CAN	CA EPA - Prop 65			Carcinogen	
CAN	US NIH - Report on Car	cinogens		Reasonably Antic	ipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chem	iicals		Developmental N	eurotoxicant
PBT	US EPA - Toxics Releas	se Inventory PBTs		PBT	
REP	GHS - Korea			H360 - May dama Category 1]	age fertility or the unborn child [Reproductive toxicity -
AQU	GHS - Korea			H400 - Very toxic (acute) - Category	to aquatic life [Hazardous to the aquatic environment γ 1]
AQU	GHS - Korea			-	to aquatic life with long lasting effects [Hazardous to onment (chronic) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOUR	CE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)			P&W - Precaution	nary List
				Precautionary list	of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy In	stitute (GSPI)		GSPI - Six Classe	es of Problematic Chemicals
				Certain Metals	
RESTRICTED LIST	Cradle to Cradle Produc	cts Innovation Institute (C2CPII)	C2C Certified v4 I Effective July 1, 2	Product Standard Restricted Substances List (RSL) -
				Core Restrictions	
RESTRICTED LIST	Cradle to Cradle Produc	cts Innovation Institute (C2CPII)	C2C Certified v4 I Effective July 1, 2	Product Standard Restricted Substances List (RSL) -
				Biological and En	vironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Produc	cts Innovation Institute (C2CPII)	C2C Certified v4 I	Product Standard Restricted Substances List (RSL) -
				Children's Produc	ots
RESTRICTED LIST	Cradle to Cradle Produc	cts Innovation Institute (C2CPII)	C2C Certified v4 I	Product Standard Restricted Substances List (RSL) -
				Footwear, Appare	el & Jewelry Products

SUBSTANCE NOTES: Brass is used as part of hardware for Manual Revolving Door KTV M

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: -CERTIFICATE URL:

ISSUE DATE: 2023-06-20 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES: This HPD is for a product that is NOT liquid/wet applied.

LCA

Environmental **Product Declaration** (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V. (AUB)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Sofia, Bularia

CERTIFICATE URL:

 $https://assets.ctfassets.net/y0dk4vkszqeh/66HLWXtiwVDwcjepihS0d0/955137fc432c16fac4d89c190c1efa38/IBU_EPD_DOKA_Manual_Revolving_Door_KTV_M.pdf$

ISSUE CERTIFIER DATE: OR LAB: 2022-Institut

11-29 Bauen und **EXPIRY** Umwelt DATE: e.V. (IBU) 2027-11-28

CERTIFICATION AND COMPLIANCE NOTES:



🕕 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba

ADDRESS: dormakaba Bulgaria EOOD

Druzhba 2, 15 Heidelberg Str. Sofia - 1528, Bulgaria

WEBSITE: www.dormakaba.com

CONTACT NAME: www.dormakabagroup.com/en/contact

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

BM-4 Benchmark 4 (prefer-safer chemical)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern), For more information, see 2,2,2,4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.