

Interior glass systems

GP Series panic hardware



Features

- +/- 1/2" adjustability height and width to accommodate opening variances
- Full range of exterior pull options
- Dogging functionality
- 3-year warranty

Applications

- Entrances (Interior & Exterior applications)
- Secure Areas

Verticals

- Commercial
- Retail
- Hospitality
- Entertainment
- Education

Security and safety meet elegance.

Accommodating a wide range of door sizes and applications, the GP Series panic hardware offers a customizable design with simplicity in specification. Working with our small format interchangeable core cylinders makes control and rekeying of an existing system a breeze.

GP Series panic hardware accentuates glass entrance doors with its sleek minimal tubular housing while preserving a glass door's aesthetics.

Versatile, durable, and handsomely styled to accommodate sophisticated architectural designs, dormakaba offers the only complete glass exit device line manufactured on the east coast with quick lead times.

Panic devices

- GP 1000 Series top latching bolt with manual and electric strikes (fail safe or fail secure)
- GP 1100 Series bottom latching panic with manual strikes

Dummy pulls

- Complimentary dummy (non-functioning) handles



Exterior fixed hardware pull handles

Product Detail


All available handle types are shown below.

NOTE: For reference, the following information appears below each handle type:

- Symbols for the door types allowed with that handle.


Key to symbols:

- GP1000
- GP1100




Handle A

• ○




Handle B

• ○




Handle C

• ○



Handle D

• ○




Handle E

• ○



Handle F


• ○



Handle G


•

Door type:



Handle H

•




Handle J

•




Handle JS

•



Handle K

○



Handle KS

○



Handle L


○



Handle LS


○

Door type:




Handle M

•




Handle MS

•




Handle N

○




Handle P

• ○



Handle X

• ○



Handle Y

• ○

Door type:

GP1000/GP1100 glass panic hardware

Material

- 316 Stainless Steel

Specifications

- For 3/8" through 13/16" glass doors
- Additional options for aluminum and wood doors upon request (please specify thickness).
- Supports up to 120" tall doors*
- non-standard thickness please specify


Finishes

- Satin Stainless Steel
- Polished Stainless Steel
- Oil Rub Bronze Equivalent (613E)
- Black (693)
- Powder Coating available upon request

Patents, Approvals, and Certifications

- ANSI/BHMA A156.3-2014, Grade 1 Certified
- UL305, ULC-S132-07 or UL Certified
- Patents Pending

Handing



* Consult dormakaba for specifics on limitations and hardware requirements.



Our Sustainability Commitment

dormakaba is committed to foster a sustainable development along our entire value chain. In order to give quantified disclosures of a product's environmental impact and its ecological footprint, dormakaba provides Environmental Product Declarations (EPDs). Please download the EPD and read more about our sustainability commitment here or use the QR code provided.



Any questions? We would be happy to advise you.

Contact us at: 800.523.8483