


ART. NO. P10S.5.121 (SHOWN)

QTY. 1 - #233.018 4- $\frac{1}{8}$ " HEADER PREPPED FOR RTS88 CLOSER [SPECIFY FUNCTION]  
QTY. 1 - #225.001 3- $\frac{5}{8}$ " TOP RAIL WITH #928.006 ARM  
QTY. 1 - #225.305 10" BOTTOM RAIL WITH #928.055 PIVOT AND #925.019 LOCK  
QTY. 1 - #225.998 MORTISE THUMBTURN CYLINDER WITH SPLIT RING  
QTY. 1 - #225.999 MORTISE KEY CYLINDER WITH SPLIT RING  
QTY. 1 - #932.033 1- $\frac{1}{2}$ " DUST PROOF STRIKE

QTY. 1 - #233.020 4-<sup>1</sup>/<sub>8</sub>" HEADER PREPPED FOR RTS88 CLOSERS [SPECIFY FUNCTION]  
QTY. 2 - #225.001 3-<sup>5</sup>/<sub>8</sub>" TOP RAIL WITH #928.006 ARM  
QTY. 2 - #225.305 10" BOTTOM RAIL WITH #928.055 PIVOT AND #925.019 LOCK  
QTY. 2 - #225.998 MORTISE THUMBTURN CYLINDER WITH SPLIT RING  
QTY. 2 - #225.999 MORTISE KEY CYLINDER WITH SPLIT RING  
QTY. 2 - #932.033 1-<sup>1</sup>/<sub>2</sub>" DUST PROOF STRIKE





**KEY:**

D.O.H. = DOOR OPENING HEIGHT

D.H. = DOOR HEIGHT

G.H. = GLASS HEIGHT



1520 Jabez Run  
Suite 303  
Millersville, MD 21108  
800.451.0649

| REV. | DATE     |
|------|----------|
| 1    | 01/04/10 |
| 2    | 07/19/16 |

**TOLERANCES**  
UNLESS OTHERWISE SPECIFIED:

DECIMAL .XXX = ± .005

.XX = ± .01

FRACTION 1/16

DEGREE ± 3°

# DORMA EASI-FRONTS DOOR SET TYPE "P" WITH LOCK - P05-10S-3S-01\_41-RTS

**PROPRIETARY AND CONFIDENTIAL**

This document and information is the proprietary property of DORMA GLAS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.

DRAWN BY: MW

DATE: 06.19.09



SCALE: 1:2

SHEET: 3 OF 3

DRAWING NO.

P05-10S-3S-01\_41-RTS

DO NOT SCALE DRAWING

**ELEVATION VIEW OF LOCK LOCATION****BOTTOM RAIL SECTION  
AT LOCK LOCATION****NOTE:** DIMENSIONS SHOWN INCLUDE THE ENDCAP AND THE COVER.

\* OPENING CLEARANCES MAY VARY BASED ON SITE CONDITIONS. STANDARD CLEARANCES SHOWN ARE USED IN FORMULA.