

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EAD-9021559-1-3

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

European Assessment Document 020001-01-0405

Door hinges

Product description/
specification

Concealeo

According to configuration in **annex 1**

Levels and classes of
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on doors in escape routes with requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

Dormakaba Gulf FZE

Plot No. S 20135, Road no. SW 301 G 9021559 , AE-Jebel Ali South, Dubai

and produced in the
manufacturing plant(s)

404301

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

ETA-17/0328 issued on 18.07.2018

and


EAD 020001-01-0405 issued in March 2017

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 15.12.2017 and will remain valid until 14.12.2023 , as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229EAD 9021559.

Christian Kehrer
Head of notified product certification body
ift Rosenheim
23.10.2021



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: E5B-EBA8E

Certificate of constancy of performance

Annex 1 Page 1 of 3
Certificate holder: Dormakaba Gulf FZE
Date of issue: 23.10.2021



Certificate No.: 0757-CPR-229EAD-9021559-1-3

Compilation of locks:

No. 1

Product designation: **Design Concealeo AH 300 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 14-002835-PR02 of 10.02.2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

No. 2

Product designation: **Steel Design Concealeo AS 350 3D**
Hinge type: multi-axis, concealed hinges
Material: Stainless Steel, Steel
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 14-002835-PR02 of 10.02.2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

No. 3

Product designation: **Design Concealeo BH 200 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 205 34512 of 20.02.2008

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

Certificate of constancy of performance

Annex 1 Page 2 of 3
Certificate holder: Dormakaba Gulf FZE
Date of issue: 23.10.2021



Certificate No.: 0757-CPR-229EAD-9021559-1-3

No. 4

Product designation: **Steel Design Concealeo BS 250 3D**
Hinge type: multi-axis, concealed hinges
Material: Stainless Steel, Steel
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 205 34512 of 20.02.2008

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

No. 5

Product designation: **Design Concealeo CH 150 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 205 36122 of 29.07.2008

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control made of wood and metal

No. 6

Product designation: **Design Concealeo CH 200 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and milled in leaf element and screw-fitted with 4 screws
Test report: 205 36123 of 11.11.2008

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

Certificate of constancy of performance

Annex 1 Page 3 of 3
Certificate holder: Dormakaba Gulf FZE
Date of issue: 23.10.2021



Certificate No.: 0757-CPR-229EAD-9021559-1-3

No. 7

Product designation: **Steel Design Concealeo CS 300 3D**
Hinge type: multi-axis, concealed hinges
Material: Stainless Steel, Steel
Fastening: milled in frame element and screw-fitted with 4 screws and
 milled in leaf element and screw-fitted with 4 screws
Test report: 205 36123 of 11.11.2008

Classification:	4	7	7	1	1	4	1	14
-----------------	----------	----------	----------	----------	----------	----------	----------	-----------

Intended use: Intended for use on doors in escape routes with requirements for
 fire resistance and smoke control made of wood and metal