



8445 Straight Timber Entrance Pull Handles

dormakaba's straight timber entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel with timber sections allowing a warm natural hand feel and comfortable ease of use. With dormakaba's commitment to sustainability, the timber used on our entrance handles is FSC certified Victorian Ash. All metals used can be recycled at the end of the product life.

The 8445 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Please refer to ordering details for a range of optional accessories to suit:

- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors


Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request


dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01 Spacer
- 02 Washer
- 03 Grub Screw
- 04 Bolt
- 05 Disc
- 06 Coach Bolt

TIMBER DOOR FIXING

| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 5mm |
| 16mm Ø | 5mm |
| 19mm Ø | 8mm |
| 25mm Ø | 8mm |
| 32mm Ø | 8mm |

METAL DOOR FIXING

| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 5mm |
| 16mm Ø | 5mm |
| 19mm Ø | 8mm |
| 25mm Ø | 8mm |
| 32mm Ø | 8mm |

GLASS DOOR FIXING

| Material Size | Bolt Size |
|---------------|-----------|
| 14mm Ø | 12mm Ø |
| 16mm Ø | 12mm Ø |
| 19mm Ø | 12mm Ø |
| 25mm Ø | 12mm Ø |
| 32mm Ø | 12mm Ø |

Ordering details

| Item | Article Number | Description | Section | Projection | Overall Length | Fixing Centres |
|--|----------------|---------------------------------------|---|------------|----------------|----------------|
| BACK TO BACK FIXING | | | | | | |
| B8445/400/50X25/PSS | 9458443537152 | B8445/400/50X25 OA 425 CTC 400 PSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| B8445/400/50X25/SSS | 9458443537151 | B8445/400/50X25 OA 425 CTC 400 SSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| B8445/600/50X25/PSS | 9458444737152 | B8445/600/50X25 OA 625 CTC 600 PSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| B8445/600/50X25/SSS | 9458444737151 | B8445/600/50X25 OA 625 CTC 600 SSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| B8445/800/50X25/PSS | 9458445817152 | B8445/800/50X25 OA 825 CTC 800 PSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| B8445/800/50X25/SSS | 9458445817151 | B8445/800/50X25 OA 825 CTC 800 SSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| B8445/1000/50X25/PSS | 9458446657152 | B8445/1000/50X25 OA 1025 CTC 1000 PSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |
| B8445/1000/50X25/SSS | 9458446657151 | B8445/1000/50X25 OA 1025 CTC 1000 SSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |
| B8445/1500/50X25/PSS | 9458448397152 | B8445/1500/50X25 OA 1525 CTC 1500 PSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |
| B8445/1500/50X25/SSS | 9458448397151 | B8445/1500/50X25 OA 1525 CTC 1500 SSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |
| ACCESSORIES - EXTENDED FIXINGS - sold as a pair | | | | | | |
| TM/M8/50 | 9459508058200 | M8/50 FERULE HEAD BOLT TM FIX | Note: When ordering extended fixings please use the below formula. Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered. | | | |
| TM/M8/75 | 9459758078200 | M8/75 FERULE HEAD BOLT TM FIX | | | | |
| TM/M8/90 | 9400000012887 | M8/90 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/100 | 9400000012888 | M8/100 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/110 | 9459118118200 | M8/110 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/120 | 9459128128200 | M8/120 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/130 | 9459138138200 | M8/130 BOLT & 16MM FERULE TM FIX | | | | |
| TM/M8/150 | 9459158158200 | M8/150 BOLT & 16MM FERULE TM FIX | | | | |
| ACCESSORIES - GLASS FIXINGS - sold as a pair | | | | | | |
| GF25X50/M8/50 REC | 9400000014831 | 25X50 REC GLASS FIXING PAIR | | | | |
| CONCEALED FIXING | | | | | | |
| C8445/400/50X25/PSS | 9458443537252 | C8445/400/50X25 OA 425 CTC 400 PSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| C8445/400/50X25/SSS | 9458443537251 | C8445/400/50X25 OA 425 CTC 400 SSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| C8445/600/50X25/PSS | 9458444737252 | C8445/600/50X25 OA 625 CTC 600 PSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| C8445/600/50X25/SSS | 9458444737251 | C8445/600/50X25 OA 625 CTC 600 SSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| C8445/800/50X25/PSS | 9458445817252 | C8445/800/50X25 OA 825 CTC 800 PSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| C8445/800/50X25/SSS | 9458445817251 | C8445/800/50X25 OA 825 CTC 800 SSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| C8445/1000/50X25/PSS | 9458446657252 | C8445/1000/50X25 OA 1025 CTC 1000 PSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |
| C8445/1000/50X25/SSS | 9458446657251 | C8445/1000/50X25 OA 1025 CTC 1000 SSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |

Ordering details

| Item | Article Number | Description | Section | Projection | Overall Length | Fixing Centres |
|----------------------|----------------|---------------------------------------|-------------|------------|----------------|----------------|
| C8445/1500/50X25/PSS | 9458448397252 | C8445/1500/50X25 OA 1525 CTC 1500 PSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |
| C8445/1500/50X25/SSS | 9458448397251 | C8445/1500/50X25 OA 1525 CTC 1500 SSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |

| DISC FIXING | | | | | | |
|----------------------|---------------|---------------------------------------|-------------|------|--------|--------|
| D8445/400/50X25/PSS | 9458443537352 | D8445/400/50X25 OA 425 CTC 400 PSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| D8445/400/50X25/SSS | 9458443537351 | D8445/400/50X25 OA 425 CTC 400 SSS | 50mm x 25mm | 75mm | 425mm | 400mm |
| D8445/600/50X25/PSS | 9458444737352 | D8445/600/50X25 OA 625 CTC 600 PSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| D8445/600/50X25/SSS | 9458444737351 | D8445/600/50X25 OA 625 CTC 600 SSS | 50mm x 25mm | 75mm | 625mm | 600mm |
| D8445/800/50X25/PSS | 9458445817352 | D8445/800/50X25 OA 825 CTC 800 PSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| D8445/800/50X25/SSS | 9458445817351 | D8445/800/50X25 OA 825 CTC 800 SSS | 50mm x 25mm | 75mm | 825mm | 800mm |
| D8445/1000/50X25/PSS | 9458446657352 | D8445/1000/50X25 OA 1025 CTC 1000 PSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |
| D8445/1000/50X25/SSS | 9458446657351 | D8445/1000/50X25 OA 1025 CTC 1000 SSS | 50mm x 25mm | 75mm | 1025mm | 1000mm |
| D8445/1500/50X25/PSS | 9458448397352 | D8445/1500/50X25 OA 1525 CTC 1500 PSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |
| D8445/1500/50X25/SSS | 9458448397351 | D8445/1500/50X25 OA 1525 CTC 1500 SSS | 50mm x 25mm | 75mm | 1525mm | 1500mm |

| ACCESSORIES - DISC FIXINGS - sold as a pair | | |
|---|---------------|--------------------------------|
| DF25/M8/75 PSS | 9459752588102 | 25MM DISK FIX PAIR M8X75MM PSS |
| DF25/M8/75 SSS | 9400000014108 | 25MM DISK FIX PAIR M8X75MM SSS |

| ACCESSORIES - GLASS FIXINGS - sold as a pair | | |
|--|---------------|--------------------------------------|
| GDF25/M8/50 PSS | 9459502588102 | 25MM GLASS DISK FIX PSS PAIR M8X50MM |
| GDF25/M8/50 SSS | 9459502588101 | 25MM GLASS DISK FIX SSS PAIR M8X50MM |