ES PROLINE by dormakaba

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 25263

CLASSIFICATION: 08 42 29.23 Sliding Automatic Entrances

PRODUCT DESCRIPTION: ES PROLINE is a modular automatic drive system for sliding doors suitable for versatile applications including standard doors, doors in escape and rescue routes and telescopic sliding doors. Even particularly heavy door leaves up to 400 kg can be moved with the new drive system. Tested to 1,500,000 cylces, the ES PROLINE is a high quality, high performing automatic sliding door operator giving reliable performance. Additional variants are available to meet almost all requirements.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- O Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- Material
- Product

Threshold level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- C Considered
- C Partially Considered
- Not Considered
- Explanation(s) provided
- for Residuals/Impurities?
- Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened

according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ES PROLINE [EN AW6060 T66 NoGS STEEL NOGS PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT NoGS SC:ELECTRONIC COMPONENTS Not Screened ZINC (POWDER) LT-P1 | AQU | END | MUL | PHY KRAFT PAPER NoGS] Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: NPI Volatile Organic Compound Definition, Version 2.6, March 2009

LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

O Yes

⊙ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-04-29 PUBLISHED DATE: 2021-07-06 EXPIRY DATE: 2024-04-29

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ES PROLINE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finishes components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES:

EN AW6060 T66 ID: Not registered HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-06 9:48:06 %: 52.0000 - 52.0000 GS: NoGS RC: UNK SUBSTANCE ROLE: Alloy element NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Housing and other components

STEEL ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-05 9:53:36

%: 30.0000 - 30.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Fixing agent

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Fixing agent

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-06 9:47:47

SUBSTANCE ROLE: Plasticizer %: 7.0000 - 7.0000 GS: NoGS RC: UNK NANO: No

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Roles, plastic foils

SC:ELECTRONIC COMPONENTS

ID: SC:Flectronics

HAZARD SCREENING METHOD:	REENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 6.0000 - 6.0000	GS: Not Screened	RC: UNK NANO: No	SUBSTANCE ROLE: Electronic component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

SUBSTANCE NOTES: Version: SCElec/2018-02-23

Brief Description: Motor, Printed Wiring Board, Cable and other Electronics

Compliance: compliant

Takeback Program: No Motor, Printed Wiring Board, Cable and other Electronics

ZINC (POWDER)				I	D: 7440-66-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE	E: 2021-07-06 10:05:52	
%: 3.0000 - 3.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Power	der coating
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
AQU	EU - GHS (H-Statements)	F	H400 - Very toxic to aquatic life		
AQU	EU - GHS (H-Statements)	H	H410 - Very toxic to aquatic life with long lasting effects		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MUL	German FEA - Substances Hazardous Waters	to C	Class 2 - Hazard to Waters		
PHY	EU - GHS (H-Statements)	H	H250 - Catches fire spontaneously if exposed to air		
PHY	EU - GHS (H-Statements)		H260 - In contact with water releases flammable gases which may ignite spontaneously		

SUBSTANCE NOTES: Housing Equipment

KRAFT PAPER ID: Not regi							
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-06 9:59:33				
%: 2.0000 - 2.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component			
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS				
None found			No w	varnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Packa	ging, Label						



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

NPI Volatile Organic Compound Definition, Version 2.6, March 2009

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-07- EXPIRY DATE:

CERTIFIER OR LAB: N/A

Bauen und Umwelt e.V.

NOT liquid/wet aplied. **CERTIFICATE URL:**

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-06-

EXPIRY DATE: 2026-

06-27

CERTIFIER OR LAB: IBU - Institut

APPLICABLE FACILITIES: dormakaba production facility

APPLICABLE FACILITIES: This HPD is for a product that is

Ennepetal (Germany) **CERTIFICATE URL:**

CERTIFICATION AND COMPLIANCE NOTES: Environmental Product Declaration by IBU Germany



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for theirexpertise in the area of smart and secure access solutions. Together we stand for more than 150 years of securityand reliability. Our master brand dormakaba stands for our offering of products, solutions and services for secureaccess to buildings and rooms from a single source. Our global brand power supports us to become the trustedindustry leader. For more information, please go to: www.dormakaba.com. The information contained in this HPD isto be used only as a voluntary information on our products. dormakaba makes no representation or warranty as tothe completeness or accuracy of the information contained herein. The products and specifications set forth in thisHPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. Theinformation contained herein is provided without warranties of any kind, either express or implied, and dormakabadisclaims any and all liability for typographical, printing, or production errors or changes affecting the specificationscontained herein. dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOTLIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGESARISING FROM THE SALE OR USE OF ANY PRODUCT. All sales of products shall be subject to dormakaba'sapplicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisationupon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba ADDRESS: Hofwisenstraße 24 Rümlang ZH 8153, Switzerland

WEBSITE: www.dormakaba.com

CONTACT NAME: Melanie Schaumann **TITLE: Manager Sustainable Projects**

PHONE: +41448189111

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.