



8240 Straight Round Entrance Pull Handles

dormakaba's straight round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship.

They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The round section allows comfortable ease of use.


The 8240 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request

Please refer to ordering details for a range of optional accessories to suit:


- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors




dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01 Spacer
- 02 Washer
- 03 Grub Screw
- 04 Bolt
- 05 Disc
- 06 Coach Bolt

TIMBER DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
BACK TO BACK FIXING						
B8240/270/25/PSS	9458242724102	B8240/270/25 OA 416 CTC 270 PSS	25mm	74mm	416mm	270mm
B8240/270/25/SSS	9458242724101	B8240/270/25 OA 416 CTC 270 SSS	25mm	74mm	416mm	270mm
B8240/270/32/PSS	9458242725102	B8240/270/32 OA 416 CTC 270 PSS	32mm	80mm	416mm	270mm
B8240/270/32/SSS	9458242725101	B8240/270/32 OA 416 CTC 270 SSS	32mm	80mm	416mm	270mm
B8240/470/25/PSS	9458244164102	B8240/470/25 OA 616 CTC 470 PSS	25mm	74mm	616mm	470mm
B8240/470/25/SSS	9458244164101	B8240/470/25 OA 616 CTC 470 SSS	25mm	74mm	616mm	470mm
B8240/470/32/PSS	9458244165102	B8240/470/32 OA 616 CTC 470 PSS	32mm	80mm	616mm	470mm
B8240/470/32/SSS	9458244165101	B8240/470/32 OA 616 CTC 470 SSS	32mm	80mm	616mm	470mm
B8240/670/25/PSS	9458245154102	B8240/670/25 OA 816 CTC 670 PSS	25mm	74mm	816mm	670mm
B8240/670/25/SSS	9458245154101	B8240/670/25 OA 816 CTC 670 SSS	25mm	74mm	816mm	670mm
B8240/670/32/PSS	9458245155102	B8240/670/32 OA 816 CTC 670 PSS	32mm	80mm	816mm	670mm
B8240/670/32/SSS	9458245155101	B8240/670/32 OA 816 CTC 670 SSS	32mm	80mm	816mm	670mm
B8240/870/25/PSS	9458246144102	B8240/870/25 OA 1016 CTC 870 PSS	25mm	74mm	1016mm	870mm
B8240/870/25/SSS	9458246144101	B8240/870/25 OA 1016 CTC 870 SSS	25mm	74mm	1016mm	870mm
B8240/870/32/PSS	9458246145102	B8240/870/32 OA 1016 CTC 870 PSS	32mm	80mm	1016mm	870mm
B8240/870/32/SSS	9458246145101	B8240/870/32 OA 1016 CTC 870 SSS	32mm	80mm	1016mm	870mm
B8240/1370/25/PSS	9458248004102	B8240/1370/25 OA 1516 CTC 1370 PSS	25mm	74mm	1516mm	1370mm
B8240/1370/25/SSS	9458248004101	B8240/1370/25 OA 1516 CTC 1370 SSS	25mm	74mm	1516mm	1370mm
B8240/1370/32/PSS	9458248005102	B8240/1370/32 OA 1516 CTC 1370 PSS	32mm	80mm	1516mm	1370mm
B8240/1370/32/SSS	9458248005101	B8240/1370/32 OA 1516 CTC 1370 SSS	32mm	80mm	1516mm	1370mm
B8240/1870/25/PSS	9458249204102	B8240/1870/25 OA 2016 CTC 1870 PSS	25mm	74mm	2016mm	1870mm
B8240/1870/25/SSS	9458249204101	B8240/1870/25 OA 2016 CTC 1870 SSS	25mm	74mm	2016mm	1870mm
B8240/1870/32/PSS	9458249205102	B8240/1870/32 OA 2016 CTC 1870 PSS	32mm	80mm	2016mm	1870mm
B8240/1870/32/SSS	9458249205101	B8240/1870/32 OA 2016 CTC 1870 SSS	32mm	80mm	2016mm	1870mm
ACCESSORIES - EXTENDED FIXINGS - sold as a pair						
TM/M8/50	9459508058200	M8/50 FERULE HEAD BOLT TM FIX	Note: When ordering extended fixings please use the below formula. Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.			
TM/M8/75	9459758078200	M8/75 FERULE HEAD BOLT TM FIX				
TM/M8/90	9400000012887	M8/90 BOLT & 16MM FERULE TM FIX				
TM/M8/100	9400000012888	M8/100 BOLT & 16MM FERULE TM FIX				
TM/M8/110	9459118118200	M8/110 BOLT & 16MM FERULE TM FIX				
TM/M8/120	9459128128200	M8/120 BOLT & 16MM FERULE TM FIX				
TM/M8/130	9459138138200	M8/130 BOLT & 16MM FERULE TM FIX				
TM/M8/150	9459158158200	M8/150 BOLT & 16MM FERULE TM FIX				
ACCESSORIES - GLASS FIXINGS - sold as a pair						
GF25/M8/50 RND	9459502588301	25 DIA RND GLASS FIXING PAIRS				
GF32/M8/50 RND	9459503288301	32 DIA RND GLASS FIXING PAIRS				

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
CONCEALED FIXING						
C8240/270/25/PSS	9458242724202	C8240/270/25 OA 416 CTC 270 PSS	25mm	74mm	416mm	270mm
C8240/270/25/SSS	9458242724201	C8240/270/25 OA 416 CTC 270 SSS	25mm	74mm	416mm	270mm
C8240/270/32/PSS	9458242725202	C8240/270/32 OA 416 CTC 270 PSS	32mm	80mm	416mm	270mm
C8240/270/32/SSS	9458242725201	C8240/270/32 OA 416 CTC 270 SSS	32mm	80mm	416mm	270mm
C8240/470/25/PSS	9458244164202	C8240/470/25 OA 616 CTC 470 PSS	25mm	74mm	616mm	470mm
C8240/470/25/SSS	9458244164201	C8240/470/25 OA 616 CTC 470 SSS	25mm	74mm	616mm	470mm
C8240/470/32/PSS	9458244165202	C8240/470/32 OA 616 CTC 470 PSS	32mm	80mm	616mm	470mm
C8240/470/32/SSS	9458244165201	C8240/470/32 OA 616 CTC 470 SSS	32mm	80mm	616mm	470mm
C8240/670/25/PSS	9458245154202	C8240/670/25 OA 816 CTC 670 PSS	25mm	74mm	816mm	670mm
C8240/670/25/SSS	9458245154201	C8240/670/25 OA 816 CTC 670 SSS	25mm	74mm	816mm	670mm
C8240/670/32/PSS	9458245155202	C8240/670/32 OA 816 CTC 670 PSS	32mm	80mm	816mm	670mm
C8240/670/32/SSS	9458245155201	C8240/670/32 OA 816 CTC 670 SSS	32mm	80mm	816mm	670mm
C8240/870/25/PSS	9458246144202	C8240/870/25 OA 1016 CTC 870 PSS	25mm	74mm	1016mm	870mm
C8240/870/25/SSS	9458246144201	C8240/870/25 OA 1016 CTC 870 SSS	25mm	74mm	1016mm	870mm
C8240/870/32/PSS	9458246145202	C8240/870/32 OA 1016 CTC 870 PSS	32mm	80mm	1016mm	870mm
C8240/870/32/SSS	9458246145201	C8240/870/32 OA 1016 CTC 870 SSS	32mm	80mm	1016mm	870mm
C8240/1370/25/PSS	9458248004202	C8240/1370/25 OA 1516 CTC 1370 PSS	25mm	74mm	1516mm	1370mm
C8240/1370/25/SSS	9458248004201	C8240/1370/25 OA 1516 CTC 1370 SSS	25mm	74mm	1516mm	1370mm
C8240/1370/32/PSS	9458248005202	C8240/1370/32 OA 1516 CTC 1370 PSS	32mm	80mm	1516mm	1370mm
C8240/1370/32/SSS	9458248005201	C8240/1370/32 OA 1516 CTC 1370 SSS	32mm	80mm	1516mm	1370mm
C8240/1870/25/PSS	9458249204202	C8240/1870/25 OA 2016 CTC 1870 PSS	25mm	74mm	2016mm	1870mm
C8240/1870/25/SSS	9458249204201	C8240/1870/25 OA 2016 CTC 1870 SSS	25mm	74mm	2016mm	1870mm
C8240/1870/32/PSS	9458249205202	C8240/1870/32 OA 2016 CTC 1870 PSS	32mm	80mm	2016mm	1870mm
C8240/1870/32/SSS	9458249205201	C8240/1870/32 OA 2016 CTC 1870 SSS	32mm	80mm	2016mm	1870mm
DISC FIXING						
D8240/270/25/PSS	9458242724302	D8240/270/25 OA 416 CTC 270 PSS	25mm	74mm	416mm	270mm
D8240/270/25/SSS	9458242724301	D8240/270/25 OA 416 CTC 270 SSS	25mm	74mm	416mm	270mm
D8240/270/32/PSS	9458242725302	D8240/270/32 OA 416 CTC 270 PSS	32mm	80mm	416mm	270mm
D8240/270/32/SSS	9458242725301	D8240/270/32 OA 416 CTC 270 SSS	32mm	80mm	416mm	270mm
D8240/470/25/PSS	9458244164302	D8240/470/25 OA 616 CTC 470 PSS	25mm	74mm	616mm	470mm
D8240/470/25/SSS	9458244164301	D8240/470/25 OA 616 CTC 470 SSS	25mm	74mm	616mm	470mm
D8240/470/32/PSS	9458244165302	D8240/470/32 OA 616 CTC 470 PSS	32mm	80mm	616mm	470mm
D8240/470/32/SSS	9458244165301	D8240/470/32 OA 616 CTC 470 SSS	32mm	80mm	616mm	470mm
D8240/670/25/PSS	9458245154302	D8240/670/25 OA 816 CTC 670 PSS	25mm	74mm	816mm	670mm
D8240/670/25/SSS	9458245154301	D8240/670/25 OA 816 CTC 670 SSS	25mm	74mm	816mm	670mm
D8240/670/32/PSS	9458245155302	D8240/670/32 OA 816 CTC 670 PSS	32mm	80mm	816mm	670mm
D8240/670/32/SSS	9458245155301	D8240/670/32 OA 816 CTC 670 SSS	32mm	80mm	816mm	670mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
D8240/870/25/PSS	9458246144302	D8240/870/25 OA 1016 CTC 870 PSS	25mm	74mm	1016mm	870mm
D8240/870/25/SSS	9458246144301	D8240/870/25 OA 1016 CTC 870 SSS	25mm	74mm	1016mm	870mm
D8240/870/32/PSS	9458246145302	D8240/870/32 OA 1016 CTC 870 PSS	32mm	80mm	1016mm	870mm
D8240/870/32/SSS	9458246145301	D8240/870/32 OA 1016 CTC 870 SSS	32mm	80mm	1016mm	870mm
D8240/1370/25/PSS	9458248004302	D8240/1370/25 OA 1516 CTC 1370 PSS	25mm	74mm	1516mm	1370mm
D8240/1370/25/SSS	9458248004301	D8240/1370/25 OA 1516 CTC 1370 SSS	25mm	74mm	1516mm	1370mm
D8240/1370/32/PSS	9458248005302	D8240/1370/32 OA 1516 CTC 1370 PSS	32mm	80mm	1516mm	1370mm
D8240/1370/32/SSS	9458248005301	D8240/1370/32 OA 1516 CTC 1370 SSS	32mm	80mm	1516mm	1370mm
D8240/1870/25/PSS	9458249204302	D8240/1870/25 OA 2016 CTC 1870 PSS	25mm	74mm	2016mm	1870mm
D8240/1870/25/SSS	9458249204301	D8240/1870/25 OA 2016 CTC 1870 SSS	25mm	74mm	2016mm	1870mm
D8240/1870/32/PSS	9458249205302	D8240/1870/32 OA 2016 CTC 1870 PSS	32mm	80mm	2016mm	1870mm
D8240/1870/32/SSS	9458249205301	D8240/1870/32 OA 2016 CTC 1870 SSS	32mm	80mm	2016mm	1870mm

ACCESSORIES - EXTENDED FIXINGS - sold as a pair

DF25/M8/75 PSS	9459752588102	25MM DISK FIX PAIR M8X75MM PSS
DF25/M8/75 SSS	9400000014108	25MM DISK FIX PAIR M8X75MM SSS
DF32/M8/75 PSS	9459753288102	32MM DISK FIX PAIR M8X75MM PSS
DF32/M8/75 SSS	9400000014109	32MM DISK FIX PAIR M8X75MM SSS

ACCESSORIES - GLASS FIXINGS - sold as a pair

GDF25/M8/50 PSS	9459502588102	25MM GLASS DISK FIX PSS PAIR M8X50MM
GDF25/M8/50 SSS	9459502588101	25MM GLASS DISK FIX SSS PAIR M8X50MM
GDF32/M8/50 PSS	9459503288102	32MM GLASS DISK FIX PSS PAIR M8X50MM
GDF32/M8/50 SSS	9459503288101	32MM GLASS DISK FIX SSS PAIR M8X50MM