

Technical drawing of a DORMA door frame showing dimensions and options.

**Dimensions:**

- Top rail height:  $1\frac{3}{4}"$
- Top rail offset:  $\frac{1}{8}"$  \*
- Top rail height:  $2\frac{11}{16}"$
- Top rail offset:  $\frac{1}{4}"$  \*
- Top rail height:  $5\frac{1}{16}"$
- Top rail offset:  $\frac{1}{4}"$  \*
- Top rail height:  $6"$
- Top rail offset:  $3\frac{5}{8}"$
- Top rail height:  $82\frac{1}{4}"$  (D.O.H.)
- Top rail height:  $81\frac{7}{8}"$  (D.H.)
- Top rail height:  $74\frac{1}{8}"$  (G.H.)
- Top rail height:  $35\frac{3}{4}"$
- Top rail offset:  $23\frac{3}{4}"$  TO  $49\frac{3}{4}"$


**PULL OPTIONS:**

- SEE DORMA HOUSEHOLD
- HANDLES BROCHURE
- GLASS FAB REQUIRE

**NOTE:**

- GLASS NOT SUPPLIED
- BY DORMA.

**NOTE:**  
GLASS NOT SUPPLIED  
BY DORMA.



This document and information is the proprietary property of DORMA GLAS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.

QTY. 1 - #233.038 4-<sup>5</sup>/<sub>8</sub>" HEADER WITH #927.064 WALKING BEAM PIVOTS  
QTY. 2 - #225.053 3-<sup>5</sup>/<sub>8</sub>" TOP RAIL WITH #904.610 INSERT  
QTY. 2 - #225.155 6" BOTTOM RAIL WITH #928.055 PIVOT AND #925.019 LOCK  
QTY. 2 - #225.998 MORTISE THUMBTURN CYLINDER WITH SPLIT RING  
QTY. 2 - #225.999 MORTISE KEY CYLINDER WITH SPLIT RING  
QTY. 2 - #932.033 1-<sup>1</sup>/<sub>2</sub>" DUST PROOF STRIKE

**\*\* PIVOT POINT CENTER LINE IS FROM FINISHED JAMB.**


DO NOT SCALE DRAWING

**KEY:**

D.O.H. = DOOR OPENING HEIGHT

D.H. = DOOR HEIGHT

G.H. = GLASS HEIGHT



$$D.H. = (D.O.H. - \frac{3}{8}" ) *$$

$$G.H. = (D.O.H. - 8\frac{1}{8}" )$$



1520 Jabez Run  
Suite 303  
Millersville, MD 21108  
800.451.0649

REV.	DATE
1	01/04/10
2	07/19/16

**TOLERANCES**  
UNLESS OTHERWISE SPECIFIED:DECIMAL .XXX =  $\pm .005$ XX =  $\pm .01$ FRACTION  $\pm 1/16$ DEGREE  $\pm .3^\circ$ 

# DORMA EASI-FRONTS DOOR SET TYPE "P" WITH LOCK - P75-6S-3S-01\_41-FS

**PROPRIETARY AND CONFIDENTIAL**

This document and information is the proprietary property of DORMA GLAS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.

DRAWN BY: MW

DATE: 06.24.09

SCALE: 1:2

SHEET: 2 OF 3

DRAWING NO.  
P75-6S-3S-01\_41-FS

DO NOT SCALE DRAWING

\* OPENING CLEARANCES MAY VARY BASED ON SITE CONDITIONS. STANDARD CLEARANCES SHOWN ARE USED IN FORMULA.

**KEY:**

D.O.H. = DOOR OPENING HEIGHT

D.H. = DOOR HEIGHT

G.H. = GLASS HEIGHT



1520 Jabez Run  
Suite 303  
Millersville, MD 21108  
800.451.0649

REV.	DATE
1	01/04/10
2	07/19/16

**TOLERANCES**  
UNLESS OTHERWISE SPECIFIED:

DECIMAL .XXX = ± .005

.XX = ± .01

FRACTION ± 1/16

DEGREE ± .3°

# DORMA EASI-FRONT DOOR SET TYPE "P" WITH LOCK - P75-6S-3S-01\_41-FS

PROPRIETARY AND CONFIDENTIAL

This document and information is the proprietary property of DORMA GLAS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.

DRAWN BY: MW



DATE: 06.24.09

SCALE: 1:2

SHEET: 3 OF 3

DRAWING NO.  
P75-6S-3S-01\_41-FS

DO NOT SCALE DRAWING

ELEVATION VIEW OF LOCK LOCATIONBOTTOM RAIL SECTION  
AT LOCK LOCATIONNOTE: DIMENSIONS SHOWN INCLUDE THE ENDCAP AND THE COVER.

\* OPENING CLEARANCES MAY VARY BASED ON SITE CONDITIONS. STANDARD CLEARANCES SHOWN ARE USED IN FORMULA.