



8470 Straight Timber Entrance Pull Handles

dormakaba's straight timber entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel with timber sections allowing a warm natural hand feel and comfortable ease of use. With dormakaba's commitment to sustainability, the timber used on our entrance handles is FSC certified Victorian Ash. All metals used can be recycled at the end of the product life.

The 8470 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Please refer to ordering details for a range of optional accessories to suit:

- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors


Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request


dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01** Spacer
- 02** Washer
- 03** Grub Screw
- 04** Bolt
- 05** Disc
- 06** Coach Bolt

TIMBER DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø

Ordering details

Item	Article Number	Description	Diameter	Projection	Overall Length	Fixing Centres
BACK TO BACK FIXING						
Note: 8470 series in sizes 2000mm to 2400mm will require a centre standoff						
B8470/A/32/PSS	9458479745142	B8470/A/32 OA 2400 CTC 2240 PSS	32mm	76mm	2400mm	2240mm
B8470/A/32/SSS	9458479745141	B8470/A/32 OA 2400 CTC 2240 SSS	32mm	76mm	2400mm	2240mm
B8470/B/32/PSS	9458479625142	B8470/B/32 OA 2300 CTC 2140 PSS	32mm	76mm	2300mm	2140mm
B8470/B/32/SSS	9458479625141	B8470/B/32 OA 2300 CTC 2140 SSS	32mm	76mm	2300mm	2140mm
B8470/C/32/PSS	9458479505142	B8470/C/32 OA 2200 CTC 2040 PSS	32mm	76mm	2200mm	2040mm
B8470/C/32/SSS	9458479505141	B8470/C/32 OA 2200 CTC 2040 SSS	32mm	76mm	2200mm	2040mm
B8470/D/32/PSS	9458479325142	B8470/D/32 OA 2100 CTC 1940 PSS	32mm	76mm	2100mm	1940mm
B8470/D/32/SSS	9458479325141	B8470/D/32 OA 2100 CTC 1940 SSS	32mm	76mm	2100mm	1940mm
B8470/E/32/PSS	9458479145142	B8470/E/32 OA 2000 CTC 1840 PSS	32mm	76mm	2000mm	1840mm
B8470/E/32/SSS	9458479145141	B8470/E/32 OA 2000 CTC 1840 SSS	32mm	76mm	2000mm	1840mm
B8470/F/32/PSS	9458478995142	B8470/F/32 OA 1900 CTC 1740 PSS	32mm	76mm	1900mm	1740mm
B8470/F/32/SSS	9458478995141	B8470/F/32 OA 1900 CTC 1740 SSS	32mm	76mm	1900mm	1740mm
B8470/G/32/PSS	9458478815142	B8470/G/32 OA 1800 CTC 1640 PSS	32mm	76mm	1800mm	1640mm
B8470/G/32/SSS	9458478815141	B8470/G/32 OA 1800 CTC 1640 SSS	32mm	76mm	1800mm	1640mm
B8470/H/32/PSS	9458478605142	B8470/H/32 OA 1700 CTC 1540 PSS	32mm	76mm	1700mm	1540mm
B8470/H/32/SSS	9458478605141	B8470/H/32 OA 1700 CTC 1540 SSS	32mm	76mm	1700mm	1540mm
B8470/I/32/PSS	9458478275142	B8470/I/32 OA 1600 CTC 1440 PSS	32mm	76mm	1600mm	1440mm
B8470/I/32/SSS	9458478275141	B8470/I/32 OA 1600 CTC 1440 SSS	32mm	76mm	1600mm	1440mm
B8470/J/32/PSS	9458477945142	B8470/J/32 OA 1500 CTC 1340 PSS	32mm	76mm	1500mm	1340mm
B8470/J/32/SSS	9458477945141	B8470/J/32 OA 1500 CTC 1340 SSS	32mm	76mm	1500mm	1340mm
B8470/K/32/PSS	9458477615142	B8470/K/32 OA 1400 CTC 1240 PSS	32mm	76mm	1400mm	1240mm
B8470/K/32/SSS	9458477615141	B8470/K/32 OA 1400 CTC 1240 SSS	32mm	76mm	1400mm	1240mm
B8470/L/32/PSS	9458477225142	B8470/L/32 OA 1300 CTC 1140 PSS	32mm	76mm	1300mm	1140mm
B8470/L/32/SSS	9458477225141	B8470/L/32 OA 1300 CTC 1140 SSS	32mm	76mm	1300mm	1140mm
B8470/M/32/PSS	9458476895142	B8470/M/32 OA 1200 CTC 1040 PSS	32mm	76mm	1200mm	1040mm
B8470/M/32/SSS	9458476895141	B8470/M/32 OA 1200 CTC 1040 SSS	32mm	76mm	1200mm	1040mm
B8470/N/32/PSS	9458476475142	B8470/N/32 OA 1100 CTC 940 PSS	32mm	76mm	1100mm	940mm
B8470/N/32/SSS	9458476475141	B8470/N/32 OA 1100 CTC 940 SSS	32mm	76mm	1100mm	940mm
B8470/O/32/PSS	9458476085142	B8470/O/32 OA 1000 CTC 840 PSS	32mm	76mm	1000mm	840mm
B8470/O/32/SSS	9458476085141	B8470/O/32 OA 1000 CTC 840 SSS	32mm	76mm	1000mm	840mm
B8470/P/32/PSS	9458475515142	B8470/P/32 OA 900 CTC 740 PSS	32mm	76mm	900mm	740mm
B8470/P/32/SSS	9458475515141	B8470/P/32 OA 900 CTC 740 SSS	32mm	76mm	900mm	740mm
B8470/Q/32/PSS	9458475065142	B8470/Q/32 OA 800 CTC 640 PSS	32mm	76mm	800mm	640mm
B8470/Q/32/SSS	9458475065141	B8470/Q/32 OA 800 CTC 640 SSS	32mm	76mm	800mm	640mm
B8470/R/32/PSS	9458474585142	B8470/R/32 OA 700 CTC 540 PSS	32mm	76mm	700mm	540mm
B8470/R/32/SSS	9458474585141	B8470/R/32 OA 700 CTC 540 SSS	32mm	76mm	700mm	540mm
B8470/S/32/PSS	9458473895142	B8470/S/32 OA 600 CTC 440 PSS	32mm	76mm	600mm	440mm
B8470/S/32/SSS	9458473895141	B8470/S/32 OA 600 CTC 440 SSS	32mm	76mm	600mm	440mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Overall Length	Fixing Centres
B8470/T/32/PSS	9458473205142	B8470/T/32 OA 500 CTC 340 PSS	32mm	76mm	500mm	340mm
B8470/T/32/SSS	9458473205141	B8470/T/32 OA 500 CTC 340 SSS	32mm	76mm	500mm	340mm
B8470/U/32/PSS	9458472485142	B8470/U/32 OA 400 CTC 240 PSS	32mm	76mm	400mm	240mm
B8470/U/32/SSS	9458472485141	B8470/U/32 OA 400 CTC 240 SSS	32mm	76mm	400mm	240mm

ACCESSORIES - EXTENDED FIXINGS - sold as a pair

Item	Article Number	Description	Note: When ordering extended fixings please use the below formula. Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.			
TM/M8/50	9459508058200	M8/50 FERULE HEAD BOLT TM FIX				
TM/M8/75	9459758078200	M8/75 FERULE HEAD BOLT TM FIX				
TM/M8/90	9400000012887	M8/90 BOLT & 16MM FERULE TM FIX				
TM/M8/100	9400000012888	M8/100 BOLT & 16MM FERULE TM FIX				
TM/M8/110	9459118118200	M8/110 BOLT & 16MM FERULE TM FIX				
TM/M8/120	9459128128200	M8/120 BOLT & 16MM FERULE TM FIX				
TM/M8/130	9459138138200	M8/130 BOLT & 16MM FERULE TM FIX				
TM/M8/150	9459158158200	M8/150 BOLT & 16MM FERULE TM FIX				

ACCESSORIES - GLASS FIXINGS - sold as a pair

GF32/M8/50 RND	9459503288301	32 DIA RND GLASS FIXING PAIRS
----------------	---------------	-------------------------------

CONCEALED FIXING

Note: 8470 series in sizes 2000mm to 2400mm will require a centre standoff						
C8470/A/32/PSS	9458479745242	C8470/A/32 OA 2400 CTC 2240 PSS	32mm	76mm	2400mm	2240mm
C8470/A/32/SSS	9458479745241	C8470/A/32 OA 2400 CTC 2240 SSS	32mm	76mm	2400mm	2240mm
C8470/B/32/PSS	9458479625242	C8470/B/32 OA 2300 CTC 2140 PSS	32mm	76mm	2300mm	2140mm
C8470/B/32/SSS	9458479625241	C8470/B/32 OA 2300 CTC 2140 SSS	32mm	76mm	2300mm	2140mm
C8470/C/32/PSS	9458479505242	C8470/C/32 OA 2200 CTC 2040 PSS	32mm	76mm	2200mm	2040mm
C8470/C/32/SSS	9458479505241	C8470/C/32 OA 2200 CTC 2040 SSS	32mm	76mm	2200mm	2040mm
C8470/D/32/PSS	9458479325242	C8470/D/32 OA 2100 CTC 1940 PSS	32mm	76mm	2100mm	1940mm
C8470/D/32/SSS	9458479325241	C8470/D/32 OA 2100 CTC 1940 SSS	32mm	76mm	2100mm	1940mm
C8470/E/32/PSS	9458479145242	C8470/E/32 OA 2000 CTC 1840 PSS	32mm	76mm	2000mm	1840mm
C8470/E/32/SSS	9458479145241	C8470/E/32 OA 2000 CTC 1840 SSS	32mm	76mm	2000mm	1840mm
C8470/F/32/PSS	9458478995242	C8470/F/32 OA 1900 CTC 1740 PSS	32mm	76mm	1900mm	1740mm
C8470/F/32/SSS	9458478995241	C8470/F/32 OA 1900 CTC 1740 SSS	32mm	76mm	1900mm	1740mm
C8470/G/32/PSS	9458478815242	C8470/G/32 OA 1800 CTC 1640 PSS	32mm	76mm	1800mm	1640mm
C8470/G/32/SSS	9458478815241	C8470/G/32 OA 1800 CTC 1640 SSS	32mm	76mm	1800mm	1640mm
C8470/H/32/PSS	9458478605242	C8470/H/32 OA 1700 CTC 1540 PSS	32mm	76mm	1700mm	1540mm
C8470/H/32/SSS	9458478605241	C8470/H/32 OA 1700 CTC 1540 SSS	32mm	76mm	1700mm	1540mm
C8470/I/32/PSS	9458478275242	C8470/I/32 OA 1600 CTC 1440 PSS	32mm	76mm	1600mm	1440mm
C8470/I/32/SSS	9458478275241	C8470/I/32 OA 1600 CTC 1440 SSS	32mm	76mm	1600mm	1440mm
C8470/J/32/PSS	9458477945242	C8470/J/32 OA 1500 CTC 1340 PSS	32mm	76mm	1500mm	1340mm
C8470/J/32/SSS	9458477945241	C8470/J/32 OA 1500 CTC 1340 SSS	32mm	76mm	1500mm	1340mm
C8470/K/32/PSS	9458477615242	C8470/K/32 OA 1400 CTC 1240 PSS	32mm	76mm	1400mm	1240mm
C8470/K/32/SSS	9458477615241	C8470/K/32 OA 1400 CTC 1240 SSS	32mm	76mm	1400mm	1240mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Overall Length	Fixing Centres
C8470/L/32/PSS	9458477225242	C8470/L/32 OA 1300 CTC 1140 PSS	32mm	76mm	1300mm	1140mm
C8470/L/32/SSS	9458477225241	C8470/L/32 OA 1300 CTC 1140 SSS	32mm	76mm	1300mm	1140mm
C8470/M/32/PSS	9458476895242	C8470/M/32 OA 1200 CTC 1040 PSS	32mm	76mm	1200mm	1040mm
C8470/M/32/SSS	9458476895241	C8470/M/32 OA 1200 CTC 1040 SSS	32mm	76mm	1200mm	1040mm
C8470/N/32/PSS	9458476475242	C8470/N/32 OA 1100 CTC 940 PSS	32mm	76mm	1100mm	940mm
C8470/N/32/SSS	9458476475241	C8470/N/32 OA 1100 CTC 940 SSS	32mm	76mm	1100mm	940mm
C8470/O/32/PSS	9458476085242	C8470/O/32 OA 1000 CTC 840 PSS	32mm	76mm	1000mm	840mm
C8470/O/32/SSS	9458476085241	C8470/O/32 OA 1000 CTC 840 SSS	32mm	76mm	1000mm	840mm
C8470/P/32/PSS	9458475515242	C8470/P/32 OA 900 CTC 740 PSS	32mm	76mm	900mm	740mm
C8470/P/32/SSS	9458475515241	C8470/P/32 OA 900 CTC 740 SSS	32mm	76mm	900mm	740mm
C8470/Q/32/PSS	9458475065242	C8470/Q/32 OA 800 CTC 640 PSS	32mm	76mm	800mm	640mm
C8470/Q/32/SSS	9458475065241	C8470/Q/32 OA 800 CTC 640 SSS	32mm	76mm	800mm	640mm
C8470/R/32/PSS	9458474585242	C8470/R/32 OA 700 CTC 540 PSS	32mm	76mm	700mm	540mm
C8470/R/32/SSS	9458474585241	C8470/R/32 OA 700 CTC 540 SSS	32mm	76mm	700mm	540mm
C8470/S/32/PSS	9458473895242	C8470/S/32 OA 600 CTC 440 PSS	32mm	76mm	600mm	440mm
C8470/S/32/SSS	9458473895241	C8470/S/32 OA 600 CTC 440 SSS	32mm	76mm	600mm	440mm
C8470/T/32/PSS	9458473205242	C8470/T/32 OA 500 CTC 340 PSS	32mm	76mm	500mm	340mm
C8470/T/32/SSS	9458473205241	C8470/T/32 OA 500 CTC 340 SSS	32mm	76mm	500mm	340mm
C8470/U/32/PSS	9458472485242	C8470/U/32 OA 400 CTC 240 PSS	32mm	76mm	400mm	240mm
C8470/U/32/SSS	9458472485241	C8470/U/32 OA 400 CTC 240 SSS	32mm	76mm	400mm	240mm

DISC FIXING						
Note: 8470 series in sizes 2000mm to 2400mm will require a centre standoff						
D8470/A/32/PSS	9458479745342	D8470/A/32 OA 2400 CTC 2240 PSS	32mm	76mm	2400mm	2240mm
D8470/A/32/SSS	9458479745341	D8470/A/32 OA 2400 CTC 2240 SSS	32mm	76mm	2400mm	2240mm
D8470/B/32/PSS	9458479625342	D8470/B/32 OA 2300 CTC 2140 PSS	32mm	76mm	2300mm	2140mm
D8470/B/32/SSS	9458479625341	D8470/B/32 OA 2300 CTC 2140 SSS	32mm	76mm	2300mm	2140mm
D8470/C/32/PSS	9458479505342	D8470/C/32 OA 2200 CTC 2040 PSS	32mm	76mm	2200mm	2040mm
D8470/C/32/SSS	9458479505341	D8470/C/32 OA 2200 CTC 2040 SSS	32mm	76mm	2200mm	2040mm
D8470/D/32/PSS	9458479325342	D8470/D/32 OA 2100 CTC 1940 PSS	32mm	76mm	2100mm	1940mm
D8470/D/32/SSS	9458479325341	D8470/D/32 OA 2100 CTC 1940 SSS	32mm	76mm	2100mm	1940mm
D8470/E/32/PSS	9458479145342	D8470/E/32 OA 2000 CTC 1840 PSS	32mm	76mm	2000mm	1840mm
D8470/E/32/SSS	9458479145341	D8470/E/32 OA 2000 CTC 1840 SSS	32mm	76mm	2000mm	1840mm
D8470/F/32/PSS	9458478995342	D8470/F/32 OA 1900 CTC 1740 PSS	32mm	76mm	1900mm	1740mm
D8470/F/32/SSS	9458478995341	D8470/F/32 OA 1900 CTC 1740 SSS	32mm	76mm	1900mm	1740mm
D8470/G/32/PSS	9458478815342	D8470/G/32 OA 1800 CTC 1640 PSS	32mm	76mm	1800mm	1640mm
D8470/G/32/SSS	9458478815341	D8470/G/32 OA 1800 CTC 1640 SSS	32mm	76mm	1800mm	1640mm
D8470/H/32/PSS	9458478605342	D8470/H/32 OA 1700 CTC 1540 PSS	32mm	76mm	1700mm	1540mm
D8470/H/32/SSS	9458478605341	D8470/H/32 OA 1700 CTC 1540 SSS	32mm	76mm	1700mm	1540mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Overall Length	Fixing Centres
D8470/I/32/PSS	9458478275342	D8470/I/32 OA 1600 CTC 1440 PSS	32mm	76mm	1600mm	1440mm
D8470/I/32/SSS	9458478275341	D8470/I/32 OA 1600 CTC 1440 SSS	32mm	76mm	1600mm	1440mm
D8470/J/32/PSS	9458477945342	D8470/J/32 OA 1500 CTC 1340 PSS	32mm	76mm	1500mm	1340mm
D8470/J/32/SSS	9458477945341	D8470/J/32 OA 1500 CTC 1340 SSS	32mm	76mm	1500mm	1340mm
D8470/K/32/PSS	9458477615342	D8470/K/32 OA 1400 CTC 1240 PSS	32mm	76mm	1400mm	1240mm
D8470/K/32/SSS	9458477615341	D8470/K/32 OA 1400 CTC 1240 SSS	32mm	76mm	1400mm	1240mm
D8470/L/32/PSS	9458477225342	D8470/L/32 OA 1300 CTC 1140 PSS	32mm	76mm	1300mm	1140mm
D8470/L/32/SSS	9458477225341	D8470/L/32 OA 1300 CTC 1140 SSS	32mm	76mm	1300mm	1140mm
D8470/M/32/PSS	9458476895342	D8470/M/32 OA 1200 CTC 1040 PSS	32mm	76mm	1200mm	1040mm
D8470/M/32/SSS	9458476895341	D8470/M/32 OA 1200 CTC 1040 SSS	32mm	76mm	1200mm	1040mm
D8470/N/32/PSS	9458476475342	D8470/N/32 OA 1100 CTC 940 PSS	32mm	76mm	1100mm	940mm
D8470/N/32/SSS	9458476475341	D8470/N/32 OA 1100 CTC 940 SSS	32mm	76mm	1100mm	940mm
D8470/O/32/PSS	9458476085342	D8470/O/32 OA 1000 CTC 840 PSS	32mm	76mm	1000mm	840mm
D8470/O/32/SSS	9458476085341	D8470/O/32 OA 1000 CTC 840 SSS	32mm	76mm	1000mm	840mm
D8470/P/32/PSS	9458475515342	D8470/P/32 OA 900 CTC 740 PSS	32mm	76mm	900mm	740mm
D8470/P/32/SSS	9458475515341	D8470/P/32 OA 900 CTC 740 SSS	32mm	76mm	900mm	740mm
D8470/Q/32/PSS	9458475065342	D8470/Q/32 OA 800 CTC 640 PSS	32mm	76mm	800mm	640mm
D8470/Q/32/SSS	9458475065341	D8470/Q/32 OA 800 CTC 640 SSS	32mm	76mm	800mm	640mm
D8470/R/32/PSS	9458474585342	D8470/R/32 OA 700 CTC 540 PSS	32mm	76mm	700mm	540mm
D8470/R/32/SSS	9458474585341	D8470/R/32 OA 700 CTC 540 SSS	32mm	76mm	700mm	540mm
D8470/S/32/PSS	9458473895342	D8470/S/32 OA 600 CTC 440 PSS	32mm	76mm	600mm	440mm
D8470/S/32/SSS	9458473895341	D8470/S/32 OA 600 CTC 440 SSS	32mm	76mm	600mm	440mm
D8470/T/32/PSS	9458473205342	D8470/T/32 OA 500 CTC 340 PSS	32mm	76mm	500mm	340mm
D8470/T/32/SSS	9458473205341	D8470/T/32 OA 500 CTC 340 SSS	32mm	76mm	500mm	340mm
D8470/U/32/PSS	9458472485342	D8470/U/32 OA 400 CTC 240 PSS	32mm	76mm	400mm	240mm
D8470/U/32/SSS	9458472485341	D8470/U/32 OA 400 CTC 240 SSS	32mm	76mm	400mm	240mm
ACCESSORIES - DISC FIXINGS - sold as a pair						
DF32/M8/75 SSS	9400000014109	32MM DISK FIX PAIR M8X75MM SSS				
DF32/M8/75 PSS	9459753288102	32MM DISK FIX PAIR M8X75MM PSS				
ACCESSORIES - GLASS FIXINGS - sold as a pair						
GDF32/M8/50 PSS	9459503288102	32MM GLASS DISK FIX PSS PAIR M8X50MM				
GDF32/M8/50 SSS	9459503288101	32MM GLASS DISK FIX SSS PAIR M8X50MM				