



8270 Straight Round Entrance Pull Handles

dormakaba's straight round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The round section allows comfortable ease of use.


The 8270 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request

Please refer to ordering details for a range of optional accessories to suit:


- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors




dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01 Spacer
- 02 Washer
- 03 Grub Screw
- 04 Bolt
- 05 Disc
- 06 Coach Bolt

TIMBER DOOR FIXING


Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø



Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
BACK TO BACK FIXING						
B8270/300/38/PSS	9458272846102	B8270/300/38 OA 400 CTC 300 PSS	38mm	83mm	400mm	300mm
B8270/300/38/SSS	9458272846101	B8270/300/38 OA 400 CTC 300 SSS	38mm	83mm	400mm	300mm
B8270/400/38/PSS	9458273536102	B8270/400/38 OA 500 CTC 400 PSS	38mm	83mm	500mm	400mm
B8270/400/38/SSS	9458273536101	B8270/400/38 OA 500 CTC 400 SSS	38mm	83mm	500mm	400mm
B8270/500/38/PSS	9458274256102	B8270/500/38 OA 600 CTC 500 PSS	38mm	83mm	600mm	500mm
B8270/500/38/SSS	9458274256101	B8270/500/38 OA 600 CTC 500 SSS	38mm	83mm	600mm	500mm
B8270/600/38/PSS	9458274736102	B8270/600/38 OA 700 CTC 600 PSS	38mm	83mm	700mm	600mm
B8270/600/38/SSS	9458274736101	B8270/600/38 OA 700 CTC 600 SSS	38mm	83mm	700mm	600mm
B8270/700/38/PSS	9458275246102	B8270/700/38 OA 800 CTC 700 PSS	38mm	83mm	800mm	700mm
B8270/700/38/SSS	9458275246101	B8270/700/38 OA 800 CTC 700 SSS	38mm	83mm	800mm	700mm
B8270/800/38/PSS	9458275816102	B8270/800/38 OA 900 CTC 800 PSS	38mm	83mm	900mm	800mm
B8270/800/38/SSS	9458275816101	B8270/800/38 OA 900 CTC 800 SSS	38mm	83mm	900mm	800mm
B8270/900/38/PSS	9458276236102	B8270/900/38 OA 1000 CTC 900 PSS	38mm	83mm	1000mm	900mm
B8270/900/38/SSS	9458276236101	B8270/900/38 OA 1000 CTC 900 SSS	38mm	83mm	1000mm	900mm
B8270/1000/38/PSS	9458276656102	B8270/1000/38 OA 1100 CTC 1000 PSS	38mm	83mm	1100mm	1000mm
B8270/1000/38/SSS	9458276656101	B8270/1000/38 OA 1100 CTC 1000 SSS	38mm	83mm	1100mm	1000mm
B8270/1100/38/PSS	9458277016102	B8270/1100/38 OA 1200 CTC 1100 PSS	38mm	83mm	1200mm	1100mm
B8270/1100/38/SSS	9458277016101	B8270/1100/38 OA 1200 CTC 1100 SSS	38mm	83mm	1200mm	1100mm
B8270/1200/38/PSS	9458277406102	B8270/1200/38 OA 1300 CTC 1200 PSS	38mm	83mm	1300mm	1200mm
B8270/1200/38/SSS	9458277406101	B8270/1200/38 OA 1300 CTC 1200 SSS	38mm	83mm	1300mm	1200mm
B8270/1300/38/PSS	9458277736102	B8270/1300/38 OA 1400 CTC 1300 PSS	38mm	83mm	1400mm	1300mm
B8270/1300/38/SSS	9458277736101	B8270/1300/38 OA 1400 CTC 1300 SSS	38mm	83mm	1400mm	1300mm
B8270/1400/38/PSS	9458278096102	B8270/1400/38 OA 1500 CTC 1400 PSS	38mm	83mm	1500mm	1400mm
B8270/1400/38/SSS	9458278096101	B8270/1400/38 OA 1500 CTC 1400 SSS	38mm	83mm	1500mm	1400mm
B8270/1500/38/PSS	9458278396102	B8270/1500/38 OA 1600 CTC 1500 PSS	38mm	83mm	1600mm	1500mm
B8270/1500/38/SSS	9458278396101	B8270/1500/38 OA 1600 CTC 1500 SSS	38mm	83mm	1600mm	1500mm
B8270/1600/38/PSS	9458278726102	B8270/1600/38 OA 1700 CTC 1600 PSS	38mm	83mm	1700mm	1600mm
B8270/1600/38/SSS	9458278726101	B8270/1600/38 OA 1700 CTC 1600 SSS	38mm	83mm	1700mm	1600mm
B8270/1700/38/PSS	9458278906102	B8270/1700/38 OA 1800 CTC 1700 PSS	38mm	83mm	1800mm	1700mm
B8270/1700/38/SSS	9458278906101	B8270/1700/38 OA 1800 CTC 1700 SSS	38mm	83mm	1800mm	1700mm
B8270/1800/38/PSS	9458279056102	B8270/1800/38 OA 1900 CTC 1800 PSS	38mm	83mm	1900mm	1800mm
B8270/1800/38/SSS	9458279056101	B8270/1800/38 OA 1900 CTC 1800 SSS	38mm	83mm	1900mm	1800mm
B8270/1900/38/PSS	9458279236102	B8270/1900/38 OA 2000 CTC 1900 PSS	38mm	83mm	2000mm	1900mm
B8270/1900/38/SSS	9458279236101	B8270/1900/38 OA 2000 CTC 1900 SSS	38mm	83mm	2000mm	1900mm
B8270/2000/38/PSS	9458279386102	B8270/2000/38 OA 2100 CTC 2000 PSS	38mm	83mm	2100mm	2000mm
B8270/2000/38/SSS	9458279386101	B8270/2000/38 OA 2100 CTC 2000 SSS	38mm	83mm	2100mm	2000mm
B8270/2100/38/PSS	9458279536102	B8270/2100/38 OA 2200 CTC 2100 PSS	38mm	83mm	2200mm	2100mm
B8270/2100/38/SSS	9458279536101	B8270/2100/38 OA 2200 CTC 2100 SSS	38mm	83mm	2200mm	2100mm
B8270/2200/38/PSS	9458279656102	B8270/2200/38 OA 2300 CTC 2200 PSS	38mm	83mm	2300mm	2200mm
B8270/2200/38/SSS	9458279656101	B8270/2200/38 OA 2300 CTC 2200 SSS	38mm	83mm	2300mm	2200mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
B8270/2300/38/PSS	9458279806102	B8270/2300/38 OA 2400 CTC 2300 PSS	38mm	83mm	2400mm	2300mm
B8270/2300/38/SSS	9458279806101	B8270/2300/38 OA 2400 CTC 2300 SSS	38mm	83mm	2400mm	2300mm

ACCESSORIES - EXTENDED FIXINGS - sold as a pair

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
TM/M8/50	9459508058200	M8/50 FERULE HEAD BOLT TM FIX	38mm	83mm	2400mm	2300mm
TM/M8/75	9459758078200	M8/75 FERULE HEAD BOLT TM FIX				
TM/M8/90	9400000012887	M8/90 BOLT & 16MM FERULE TM FIX				
TM/M8/100	9400000012888	M8/100 BOLT & 16MM FERULE TM FIX				
TM/M8/110	9459118118200	M8/110 BOLT & 16MM FERULE TM FIX				
TM/M8/120	9459128128200	M8/120 BOLT & 16MM FERULE TM FIX				
TM/M8/130	9459138138200	M8/130 BOLT & 16MM FERULE TM FIX				
TM/M8/150	9459158158200	M8/150 BOLT & 16MM FERULE TM FIX				

Note: When ordering extended fixings please use the below formula.
Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.

ACCESSORIES - GLASS FIXINGS - sold as a pair

GF32/M8/50 SQU	9459503288302	32 DIA SQU GLASS FIXING PAIRS
----------------	---------------	-------------------------------

CONCEALED FIXING

C8270/300/38/PSS	9458272846202	C8270/300/38 OA 400 CTC 300 PSS	38mm	83mm	400mm	300mm
C8270/300/38/SSS	9458272846201	C8270/300/38 OA 400 CTC 300 SSS	38mm	83mm	400mm	300mm
C8270/400/38/PSS	9458273536202	C8270/400/38 OA 500 CTC 400 PSS	38mm	83mm	500mm	400mm
C8270/400/38/SSS	9458273536201	C8270/400/38 OA 500 CTC 400 SSS	38mm	83mm	500mm	400mm
C8270/500/38/PSS	9458274256202	C8270/500/38 OA 600 CTC 500 PSS	38mm	83mm	600mm	500mm
C8270/500/38/SSS	9458274256201	C8270/500/38 OA 600 CTC 500 SSS	38mm	83mm	600mm	500mm
C8270/600/38/PSS	9458274736202	C8270/600/38 OA 700 CTC 600 PSS	38mm	83mm	700mm	600mm
C8270/600/38/SSS	9458274736201	C8270/600/38 OA 700 CTC 600 SSS	38mm	83mm	700mm	600mm
C8270/700/38/PSS	9458275246202	C8270/700/38 OA 800 CTC 700 PSS	38mm	83mm	800mm	700mm
C8270/700/38/SSS	9458275246201	C8270/700/38 OA 800 CTC 700 SSS	38mm	83mm	800mm	700mm
C8270/800/38/PSS	9458275816202	C8270/800/38 OA 900 CTC 800 PSS	38mm	83mm	900mm	800mm
C8270/800/38/SSS	9458275816201	C8270/800/38 OA 900 CTC 800 SSS	38mm	83mm	900mm	800mm
C8270/900/38/PSS	9458276236202	C8270/900/38 OA 1000 CTC 900 PSS	38mm	83mm	1000mm	900mm
C8270/900/38/SSS	9458276236201	C8270/900/38 OA 1000 CTC 900 SSS	38mm	83mm	1000mm	900mm
C8270/1000/38/PSS	9458276656202	C8270/1000/38 OA 1100 CTC 1000 PSS	38mm	83mm	1100mm	1000mm
C8270/1000/38/SSS	9458276656201	C8270/1000/38 OA 1100 CTC 1000 SSS	38mm	83mm	1100mm	1000mm
C8270/1100/38/PSS	9458277016202	C8270/1100/38 OA 1200 CTC 1100 PSS	38mm	83mm	1200mm	1100mm
C8270/1100/38/SSS	9458277016201	C8270/1100/38 OA 1200 CTC 1100 SSS	38mm	83mm	1200mm	1100mm
C8270/1200/38/PSS	9458277406202	C8270/1200/38 OA 1300 CTC 1200 PSS	38mm	83mm	1300mm	1200mm
C8270/1200/38/SSS	9458277406201	C8270/1200/38 OA 1300 CTC 1200 SSS	38mm	83mm	1300mm	1200mm
C8270/1300/38/PSS	9458277736202	C8270/1300/38 OA 1400 CTC 1300 PSS	38mm	83mm	1400mm	1300mm
C8270/1300/38/SSS	9458277736201	C8270/1300/38 OA 1400 CTC 1300 SSS	38mm	83mm	1400mm	1300mm
C8270/1400/38/PSS	9458278096202	C8270/1400/38 OA 1400 CTC 1400 PSS	38mm	83mm	1500mm	1400mm
C8270/1400/38/SSS	9458278096201	C8270/1400/38 OA 1400 CTC 1400 SSS	38mm	83mm	1500mm	1400mm
C8270/1500/38/PSS	9458278396202	C8270/1500/38 OA 1600 CTC 1500 PSS	38mm	83mm	1600mm	1500mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
C8270/1500/38/SSS	9458278396201	C8270/1500/38 OA 1600 CTC 1500 SSS	38mm	83mm	1600mm	1500mm
C8270/1600/38/PSS	9458278726202	C8270/1600/38 OA 1700 CTC 1600 PSS	38mm	83mm	1700mm	1600mm
C8270/1600/38/SSS	9458278726201	C8270/1600/38 OA 1700 CTC 1600 SSS	38mm	83mm	1700mm	1600mm
C8270/1700/38/PSS	9458278906202	C8270/1700/38 OA 1800 CTC 1700 PSS	38mm	83mm	1800mm	1700mm
C8270/1700/38/SSS	9458278906201	C8270/1700/38 OA 1800 CTC 1700 SSS	38mm	83mm	1800mm	1700mm
C8270/1800/38/PSS	9458279056202	C8270/1800/38 OA 1900 CTC 1800 PSS	38mm	83mm	1900mm	1800mm
C8270/1800/38/SSS	9458279056201	C8270/1800/38 OA 1900 CTC 1800 SSS	38mm	83mm	1900mm	1800mm
C8270/1900/38/PSS	9458279236202	C8270/1900/38 OA 2000 CTC 1900 PSS	38mm	83mm	2000mm	1900mm
C8270/1900/38/SSS	9458279236201	C8270/1900/38 OA 2000 CTC 1900 SSS	38mm	83mm	2000mm	1900mm
C8270/2000/38/PSS	9458279386202	C8270/2000/38 OA 2100 CTC 2000 PSS	38mm	83mm	2100mm	2000mm
C8270/2000/38/SSS	9458279386201	C8270/2000/38 OA 2100 CTC 2000 SSS	38mm	83mm	2100mm	2000mm
C8270/2100/38/PSS	9458279536202	C8270/2100/38 OA 2200 CTC 2100 PSS	38mm	83mm	2200mm	2100mm
C8270/2100/38/SSS	9458279536201	C8270/2100/38 OA 2200 CTC 2100 SSS	38mm	83mm	2200mm	2100mm
C8270/2200/38/PSS	9458279656202	C8270/2200/38 OA 2300 CTC 2200 PSS	38mm	83mm	2300mm	2200mm
C8270/2200/38/SSS	9458279656201	C8270/2200/38 OA 2300 CTC 2200 SSS	38mm	83mm	2300mm	2200mm
C8270/2300/38/PSS	9458279806202	C8270/2300/38 OA 2400 CTC 2300 PSS	38mm	83mm	2400mm	2300mm
C8270/2300/38/SSS	9458279806201	C8270/2300/38 OA 2400 CTC 2300 SSS	38mm	83mm	2400mm	2300mm

DISC FIXING						
D8270/300/38/PSS	9458272846302	D8270/300/38 OA 400 CTC 300 PSS	38mm	83mm	400mm	300mm
D8270/300/38/SSS	9458272846301	D8270/300/38 OA 400 CTC 300 SSS	38mm	83mm	400mm	300mm
D8270/400/38/PSS	9458273536302	D8270/400/38 OA 500 CTC 400 PSS	38mm	83mm	500mm	400mm
D8270/400/38/SSS	9458273536301	D8270/400/38 OA 500 CTC 400 SSS	38mm	83mm	500mm	400mm
D8270/500/38/PSS	9458274256302	D8270/500/38 OA 600 CTC 500 PSS	38mm	83mm	600mm	500mm
D8270/500/38/SSS	9458274256301	D8270/500/38 OA 600 CTC 500 SSS	38mm	83mm	600mm	500mm
D8270/600/38/PSS	9458274736302	D8270/600/38 OA 700 CTC 600 PSS	38mm	83mm	700mm	600mm
D8270/600/38/SSS	9458274736301	D8270/600/38 OA 700 CTC 600 SSS	38mm	83mm	700mm	600mm
D8270/700/38/PSS	9458275246302	D8270/700/38 OA 800 CTC 700 PSS	38mm	83mm	800mm	700mm
D8270/700/38/SSS	9458275246301	D8270/700/38 OA 800 CTC 700 SSS	38mm	83mm	800mm	700mm
D8270/800/38/PSS	9458275816302	D8270/800/38 OA 900 CTC 800 PSS	38mm	83mm	900mm	800mm
D8270/800/38/SSS	9458275816301	D8270/800/38 OA 900 CTC 800 SSS	38mm	83mm	900mm	800mm
D8270/900/38/PSS	9458276236302	D8270/900/38 OA 1000 CTC 900 PSS	38mm	83mm	1000mm	900mm
D8270/900/38/SSS	9458276236301	D8270/900/38 OA 1000 CTC 900 SSS	38mm	83mm	1000mm	900mm
D8270/1000/38/PSS	9458276656302	D8270/1000/38 OA 1100 CTC 1000 PSS	38mm	83mm	1100mm	1000mm
D8270/1000/38/SSS	9458276656301	D8270/1000/38 OA 1100 CTC 1000 SSS	38mm	83mm	1100mm	1000mm
D8270/1100/38/PSS	9458277016302	D8270/1100/38 OA 1200 CTC 1100 PSS	38mm	83mm	1200mm	1100mm
D8270/1100/38/SSS	9458277016301	D8270/1100/38 OA 1200 CTC 1100 SSS	38mm	83mm	1200mm	1100mm
D8270/1200/38/PSS	9458277406302	D8270/1200/38 OA 1300 CTC 1200 PSS	38mm	83mm	1300mm	1200mm
D8270/1200/38/SSS	9458277406301	D8270/1200/38 OA 1300 CTC 1200 SSS	38mm	83mm	1300mm	1200mm
D8270/1300/38/PSS	9458277736302	D8270/1300/38 OA 1400 CTC 1300 PSS	38mm	83mm	1400mm	1300mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Length	Fixing Centres
D8270/1300/38/SSS	9458277736301	D8270/1300/38 OA 1400 CTC 1300 SSS	38mm	83mm	1400mm	1300mm
D8270/1400/38/PSS	9458278096302	D8270/1400/38 OA 1500 CTC 1400 PSS	38mm	83mm	1500mm	1400mm
D8270/1400/38/SSS	9458278096301	D8270/1400/38 OA 1500 CTC 1400 SSS	38mm	83mm	1500mm	1400mm
D8270/1500/38/PSS	9458278396302	D8270/1500/38 OA 1600 CTC 1500 PSS	38mm	83mm	1600mm	1500mm
D8270/1500/38/SSS	9458278396301	D8270/1500/38 OA 1600 CTC 1500 SSS	38mm	83mm	1600mm	1500mm
D8270/1600/38/PSS	9458278726302	D8270/1600/38 OA 1700 CTC 1600 PSS	38mm	83mm	1700mm	1600mm
D8270/1600/38/SSS	9458278726301	D8270/1600/38 OA 1700 CTC 1600 SSS	38mm	83mm	1700mm	1600mm
D8270/1700/38/PSS	9458278906302	D8270/1700/38 OA 1800 CTC 1700 PSS	38mm	83mm	1800mm	1700mm
D8270/1700/38/SSS	9458278906301	D8270/1700/38 OA 1800 CTC 1700 SSS	38mm	83mm	1800mm	1700mm
D8270/1800/38/PSS	9458279056302	D8270/1800/38 OA 1900 CTC 1800 PSS	38mm	83mm	1900mm	1800mm
D8270/1800/38/SSS	9458279056301	D8270/1800/38 OA 1900 CTC 1800 SSS	38mm	83mm	1900mm	1800mm
D8270/1900/38/PSS	9458279236302	D8270/1900/38 OA 2000 CTC 1900 PSS	38mm	83mm	2000mm	1900mm
D8270/1900/38/SSS	9458279236301	D8270/1900/38 OA 2000 CTC 1900 SSS	38mm	83mm	2000mm	1900mm
D8270/2000/38/PSS	9458279386302	D8270/2000/38 OA 2100 CTC 2000 PSS	38mm	83mm	2100mm	2000mm
D8270/2000/38/SSS	9458279386301	D8270/2000/38 OA 2100 CTC 2000 SSS	38mm	83mm	2100mm	2000mm
D8270/2100/38/PSS	9458279536302	D8270/2100/38 OA 2200 CTC 2100 PSS	38mm	83mm	2200mm	2100mm
D8270/2100/38/SSS	9458279536301	D8270/2100/38 OA 2200 CTC 2100 SSS	38mm	83mm	2200mm	2100mm
D8270/2200/38/PSS	9458279656302	D8270/2200/38 OA 2300 CTC 2200 PSS	38mm	83mm	2300mm	2200mm
D8270/2200/38/SSS	9458279656301	D8270/2200/38 OA 2300 CTC 2200 SSS	38mm	83mm	2300mm	2200mm
D8270/2300/38/PSS	9458279806302	D8270/2300/38 OA 2400 CTC 2300 PSS	38mm	83mm	2400mm	2300mm
D8270/2300/38/SSS	9458279806301	D8270/2300/38 OA 2400 CTC 2300 SSS	38mm	83mm	2400mm	2300mm
ACCESSORIES - EXTENDED FIXINGS - sold as a pair						
DF32/M8/75 PSS	9459753288102	32MM DISK FIX PAIR M8X75MM PSS				
DF32/M8/75 SSS	9400000014109	32MM DISK FIX PAIR M8X75MM SSS				
ACCESSORIES - GLASS FIXINGS - sold as a pair						
GDF32/M8/50 PSS	9459503288102	32MM GLASS DISK FIX PSS PAIR M8X50MM				
GDF32/M8/50 SSS	9459503288101	32MM GLASS DISK FIX SSS PAIR M8X50MM				