

Barrel bolts, Panic bolts and Flush bolts



The perfect
solution to
secure an
inactive leaf.



The finishing touches for your door

Panic Bolts, Barrel bolts and Flush Bolts

Panic Bolts, barrel bolts and flush bolts are a requirement for securing an inactive leaf on a double door or cupboard. dormakaba's range of bolts have a solution for every application.

Cupboards and cabinetry are often required to be secured. To keep the inactive leaf closed, consider the dormakaba range of barrel bolts and neck bolts. These are available in 150mm, 200mm, 300mm and 600mm lengths. The dormakaba neck bolts are available in 150mm and 300mm lengths, and available in a satin nickel plate finish.

Panic bolts, sometimes referred to as skeleton bolts are used on the inactive leaf of double doors. Typically, where the use of barrel bolt is insufficient and extra strength and durability is required. They are vertically installed on the face of the door and available in 300mm, 450mm and 600mm lengths both visible and concealed versions. The offset version is available in 600mm lengths. The dormakaba panic bolt range is available in satin nickel plate finish.

When looking to secure an inactive leaf without a panic bolt being seen on the door, the dormakaba flush bolts are the perfect solution. They are discreetly installed on the edge of the door, and available in 150mm, 300mm, 450mm and 600mm lengths. The dormakaba flush bolts are available in a satin nickel plate finish.

Automatic flush bolts are a necessity when a fire rated double door is required to be self closing. Paired with either a dormakaba sequence selector or a dormakaba TS93 GSR sequencing door system, the dormakaba AF667 automatic flush bolt will safely secure your door.

Finishes

Satin Nickel Plate

SNP

Barrel Bolt

2750

Barrel Bolt

Surface mounted barrel bolt supplied with frame keeper and floor plate.


Features:

Bolt housing contains a ball bearing for positive and smooth movement with a 25mm throw.

Available lengths:

- 2750 - 150mm
- 2750 - 200mm
- 2750 - 300mm
- 2750 - 600mm

Finish: SNP



2751

Necked Barrel Bolt

Surface mounted necked barrel bolt supplied with floor plate keeper.


Features:

Bolt housing contains a ball bearing for positive and smooth movement with a 23mm throw.

Available lengths:

- 2751 - 150mm
- 2751 - 300mm

Finish: SNP



2752

Long Throw Barrel Bolt

Surface mounted barrel bolt supplied with frame keeper and floor plate.


Features:

Barrel bolt with long throw of 40mm. Bolt housing contains a ball bearing for positive and smooth movement

Available lengths:

2752 - 150mm

Finish: SNP




Accessories

Optional accessories

2756 Floor plate

2759 Top hat ferrule*

Finish: SNP* | SSS



Panic Bolt

2780

Panic Bolt

Surface mounted panic bolt (skeleton) with concealed fixing, frame keeper and floor plate.

Application

For use on the inactive leaf of double doors where a more robust and stronger bolt is required.

Features

Concealed panic bolts offer greater aesthetics and are highly suitable for doors with lesser stile widths. Standard throw is 50mm.

Available Lengths (x)

2780 - 300mm

2780 - 450mm

2780 - 600mm


Offset Option

Surface mounted panic bolt (skeleton) with concealed fixing and 20mm offset

Available Offset Lengths (x)

2780 - OS - 600mm

Finish: SNP



2790

Panic Bolt

Surface mounted panic bolt (skeleton) with visible fixing, frame keeper and floor plate.

Application

For use on the inactive leaf of double doors where a more robust and stronger bolt is required.

Features

Standard throw of 50mm.

Available Lengths (x)

2790 - 300mm

2790 - 450mm

2790 - 600mm


Offset Option

Surface mounted panic bolt (skeleton) with visible fixing and 20mm offset

Available Offset Lengths (x)

2790 - OS - 600mm

Finish: SNP



Panic Bolt Accessories


Floor mounted

2785 Standard Floor Plate

2787 Frame Keeper*

2788 Angle Top Plate

Finish: SNP* | SSS



Flush Bolt

2901

Flush Bolt

Flush bolt for edge mounting or face mounting on double doors


Features

Slim flush bolt enabling installation to doors of 32mm thickness. Extended shoe with break off and includes standard keeper plate. Bolt throw is 25mm.

Available Lengths (x)

- 150mm
- 300mm
- 450mm
- 600mm

Finish: SNP




Flush Bolt Accessories

Optional accessories

- 2902 Standard keeper plate
- 2903 Top hat ferrule*

Finish: SNP* | SSS




AF667

Features

The dormakaba Auto Flush Bolt is developed to be used in a double door application. Designed to fit the inactive leaf, the auto flush bolt has an auxiliary latch that when activated by the closure of the active leaf throws a solid stainless steel bolt into a floor and/or head mounted strike plate. Upon opening of the active leaf the bolts will automatically retract and allow the operation of the inactive leaf.

Most commonly used on fire and smoke door applications (AF667 model).

Finish: SSS



Ordering details

Item	Article Number	Description	Barcode
BARREL BOLTS			
2750-150SNP	9400000260111	2750-150MM BARREL BOLT SNP	9322844305105
2750-200SNP	9400000260211	2750-200MM BARREL BOLT SNP	9322844100830
2750-300SNP	9400000260311	2750-300MM BARREL BOLT SNP	9322844305655
2750-600SNP	9400000260611	2750-600MM BARREL BOLT SNP	9322844305006
2751-150SNP	9400000262111	2751-150MM NECKED BARREL BOLT SNP	9322844304825
2751-300SNP	9400000262311	2751-300MM NECKED BARREL BOLT SNP	9322844302661
2752-150SNP	9400000264111	2752-150MM LONGTHROW BARREL BOLT SNP	9322844305112
BARREL BOLT ACCESSORIES			
2756	9400000266101	2756 FLOOR PLATE SSS	TBA
2759	9400000266211	2759 TOP HAT FERRULE SNP	9322844306072
PANIC BOLTS			
2780-300SNP	9400000278311	2780-300MM Concealed Fix PANIC BOLT SNP	9322844300988
2780-450SNP	9400000278411	2780-450MM Concealed Fix PANIC BOLT SNP	9322844301671
2780-600SNP	9400000278611	2780-600MM Concealed Fix PANIC BOLT SNP	9322844301374
2790-300SNP	9400000279311	2790-300MM VISIBLE FIX PANIC BOLT SNP	9322844300087
2790-450SNP	9400000279411	2790-450MM VISIBLE FIX PANIC BOLT SNP	9322844300766
2790-600SNP	9400000279611	2790-600MM VISIBLE FIX PANIC BOLT SNP	9322844300698
2780-O/S 600SNP	9400000274611	2780-O/S 600MM OFFSET PANIC BOLT SNP	9322844301947
2790-O/S 600SNP	9400000275611	2790-O/S 600MM OFFSET PANIC BOLT SNP	9322844300551
PANIC BOLT ACCESSORIES			
2785	9400000270501	2785 FLOOR PLATE SSS	9322844305846
2787	9400000270711	2787 FRAME KEEPER SNP	TBA
2788	9400000270801	2788 ANGLE TOP PLATE SSS	9322844306379
FLUSH BOLTS			
2901-150SNP	9400000290111	2901-150MM FLUSH BOLT SNP	9322844301862
2901-300SNP	9400000290311	2901-300MM FLUSH BOLT SNP	9322844301053
2901-450SNP	9400000290411	2901-450MM FLUSH BOLT SNP	9322844302227
2901-600SNP	9400000290611	2901-600MM FLUSH BOLT SNP	9322844301404
FLUSH BOLT ACCESSORIES			
2902	9400000292201	2902 FLOOR PLATE SSS	9322844306423
2903	9400000292311	2903 FERRULE SNP	9322844303750
AUTOMATIC FLUSH BOLTS			
AF667	9400000011399	AF667 AUTO FLUSH BOLT TIMBER	9322844092432



Door
Hardware



Electronic
Access & Data



Mechanical
Key Systems



Lodging
Systems



Entrance
Systems



Interior Glass
Systems



Safe
Locks



Service

Our Sustainability Commitment

We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations.

We seek an open, transparent dialogue with all stakeholders to define strategies and actions based on clear targets and continuous improvement, and we actively report on our progress.

DHW_Door Stops and Door Holders Brochure. AUG 2023_DHW00144.
Subject to change without notice

**dormakaba New Zealand
Head Office**
Building P, 61-69 Patiki Road
Avondale, Auckland 1026

T: 0800 436 762
info.nz@dormakaba.com
dormakaba.co.nz

**dormakaba Australia
Head Office**
12-13 Dansu Court
Hallam VIC 3803

T: 1800 675 411
info.au@dormakaba.com
dormakaba.com.au