

EC Certificate of Conformity

0432 – CPD – 0139

In compliance with Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction product

DORMA Locks

mechanically operated locks for single leaf doors,
as detailed on appendix 2,

placed on the market by

DORMA GmbH + Co. KG
Dorma Platz 1
58256 Ennepetal
Germany

and produced in the factory(ies)

see appendix 1

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body No. 0432 - MPA NRW - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

DIN EN 12209 :2004-03/AC :2006-06

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 01.04.2010 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Dortmund, 01.04.2010



Dip.-Ing. H. Jansen
deputy head of the certification body

THIS CERTIFICATE COMPRISES ONE (1) PAGE AND TWO (2) APPENDIXES

THIS DOCUMENT WAS ORIGINALLY WRITTEN IN GERMAN. IN CASE OF DOUBT THE GERMAN VERSION SHALL PREVAIL.

**Locks DORMA
Factory(ies)**

Product	
Locks	DORMA GmbH + Co. KG Dorma Platz 1 58256 Ennepetal Germany

DORMA Locks

DORMA Contract series 200

Nr	Artikel Nr./ Product	Dornmaß/ Backset	Entfernung/ Distance	Nuss Follower	Stulp/ Forend	Flachschließblech / Strike plate	Klassifizierung/ Classification
1	281	55 – 80mm	72mm	8mm	20mm 24mm	020, 020-1	2 S 8 1 0 G 3 H C 2 0
2	285	55 – 80mm	78mm	8mm	20mm 24mm	020, 020-1	2 S 8 1 0 G 3 H G 2 0
3	288	55 – 80mm	72mm	8mm	20mm 24mm	021	2 S 8 1 0 G 3 H C 2 0
4	289	55 – 80mm	72mm	8mm	20mm 24mm	023	2 S 8 1 0 G 3 H 0 2 0
5	290	55 – 80mm	72mm	8mm	20mm 24mm	023	2 S 8 1 0 G 3 H 0 2 0

DORMA Premier series 300

Nr	Artikel Nr./ Product	Dornmaß/ Backset	Entfernung/ Distance	Nuss Follower	Stulp/ Forend	Flachschließblech / Strike plate	Klassifizierung/ Classification
6	381	55 – 80mm	72mm	8mm	20mm 24mm	020, 020-1	3 X 8 1 0 G 4 H C 2 0
7	385	55 – 80mm	78mm	8mm	20mm 24mm	020, 020-1	3 X 8 1 0 G 4 H G 2 0
8	388	55 – 80mm	72mm	8mm	20mm 24mm	021	3 X 8 1 0 G 4 H C 2 0
9	389	55 – 80mm	72mm	8mm	20mm 24mm	023	3 X 8 1 0 G 4 H 0 2 0
10	391	55 – 80mm	72mm	8mm	20mm 24mm	020, 020-1	3 S 8 1 0 G 3 H C 2 0
11	392	55 – 80mm	72mm	8mm	20mm 24mm	023	3 S 8 1 0 G 3 H 0 2 0
12	393	55 – 80mm	72mm	8mm	20mm 24mm	023	3 S 8 1 0 G 3 H 0 2 0
13	394	55 – 80mm	85mm	8mm	20mm 24mm	020, 020-1	3 X 8 1 0 G 3 H C 2 0

