



8390 Offset Round Entrance Pull Handles

dormakaba's offset round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The offset round section allows comfortable ease of use.


The 8390 offset round entry pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request

Please refer to ordering details for a range of optional accessories to suit:


- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors




dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01** Spacer
- 02** Washer
- 03** Grub Screw
- 04** Bolt
- 05** Disc
- 06** Coach Bolt

TIMBER DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø

Ordering details

Item	Article Number	Description	Diameter	Projection	Width	Length	Fixing Centres
BACK TO BACK FIXING							
B8390/1000/25/PSS	9458396654102	B8390/1000/25 OA 1025 CTC 1000 PSS	25mm	70mm	110mm	1025mm	1000mm
B8390/1000/25/SSS	9458396654101	B8390/1000/25 OA 1025 CTC 1000 SSS	25mm	70mm	110mm	1025mm	1000mm
B8390/1000/32/PSS	9458396655102	B8390/1000/32 OA 1032 CTC 1000 PSS	32mm	77mm	115mm	1032mm	1000mm
B8390/1000/32/SSS	9458396655101	B8390/1000/32 OA 1032 CTC 1000 SSS	32mm	77mm	115mm	1032mm	1000mm
B8390/1500/25/PSS	9458398394102	B8390/1500/25 OA 1525 CTC 1500 PSS	25mm	70mm	110mm	1525mm	1500mm
B8390/1500/25/SSS	9458398394101	B8390/1500/25 OA 1525 CTC 1500 SSS	25mm	70mm	110mm	1525mm	1500mm
B8390/1500/32/PSS	9458398395102	B8390/1500/32 OA 1532 CTC 1500 PSS	32mm	77mm	115mm	1532mm	1500mm
B8390/1500/32/SSS	9458398395101	B8390/1500/32 OA 1532 CTC 1500 SSS	32mm	77mm	115mm	1532mm	1500mm
B8390/400/25/PSS	9458393534102	B8390/400/25 OA 425 CTC 400 PSS	25mm	70mm	110mm	425mm	400mm
B8390/400/25/SSS	9458393534101	B8390/400/25 OA 425 CTC 400 SSS	25mm	70mm	110mm	425mm	400mm
B8390/400/32/PSS	9458393535102	B8390/400/32 OA 432 CTC 400 PSS	32mm	77mm	115mm	432mm	400mm
B8390/400/32/SSS	9458393535101	B8390/400/32 OA 432 CTC 400 SSS	32mm	77mm	115mm	432mm	400mm
B8390/600/25/PSS	9458394734102	B8390/600/25 OA 625 CTC 600 PSS	25mm	70mm	110mm	625mm	600mm
B8390/600/25/SSS	9458394734101	B8390/600/25 OA 625 CTC 600 SSS	25mm	70mm	110mm	625mm	600mm
B8390/600/32/PSS	9458394735102	B8390/600/32 OA 632 CTC 600 PSS	32mm	77mm	115mm	632mm	600mm
B8390/600/32/SSS	9458394735101	B8390/600/32 OA 632 CTC 600 SSS	32mm	77mm	115mm	632mm	600mm
B8390/800/25/PSS	9458395814102	B8390/800/25 OA 825 CTC 800 PSS	25mm	70mm	110mm	825mm	800mm
B8390/800/25/SSS	9458395814101	B8390/800/25 OA 825 CTC 800 SSS	25mm	70mm	110mm	825mm	800mm
B8390/800/32/PSS	9458395815102	B8390/800/32 OA 832 CTC 800 PSS	32mm	77mm	115mm	832mm	800mm
B8390/800/32/SSS	9458395815101	B8390/800/32 OA 832 CTC 800 SSS	32mm	77mm	115mm	832mm	800mm
ACCESSORIES - EXTENDED FIXINGS							
TM/M8/50	9459508058200	M8/50 FERULE HEAD BOLT TM FIX	<p>Note: When ordering extended fixings please use the below formula.</p> <p>Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.</p>				
TM/M8/75	9459758078200	M8/75 FERULE HEAD BOLT TM FIX					
TM/M8/90	9400000012887	M8/90 BOLT & 16MM FERULE TM FIX					
TM/M8/100	9400000012888	M8/100 BOLT & 16MM FERULE TM FIX					
TM/M8/110	9459118118200	M8/110 BOLT & 16MM FERULE TM FIX					
TM/M8/120	9459128128200	M8/120 BOLT & 16MM FERULE TM FIX					
TM/M8/130	9459138138200	M8/130 BOLT & 16MM FERULE TM FIX					
TM/M8/150	9459158158200	M8/150 BOLT & 16MM FERULE TM FIX					
ACCESSORIES - GLASS FIXINGS							
GF25/M8/50 RND	9459502588301	25 DIA RND GLASS FIXING PAIRS					
GF32/M8/50 RND	9459503288301	32 DIA RND GLASS FIXING PAIRS					

Ordering details

Item	Article Number	Description	Diameter	Projection	Width	Length	Fixing Centres
CONCEALED FIXING							
C8390/1000/25/PSS	9458396654202	C8390/1000/25 OA 1032 CTC 1000 PSS	25mm	70mm	110mm	1025mm	1000mm
C8390/1000/25/SSS	9458396654201	C8390/1000/25 OA 1032 CTC 1000 SSS	25mm	70mm	110mm	1025mm	1000mm
C8390/1000/32/PSS	9458396655202	C8390/1000/32 OA 1032 CTC 1000 PSS	32mm	77mm	115mm	1032mm	1000mm
C8390/1000/32/SSS	9458396655201	C8390/1000/32 OA 1032 CTC 1000 SSS	32mm	77mm	115mm	1032mm	1000mm
C8390/1500/25/PSS	9458398394202	C8390/1500/25 OA 1532 CTC 1500 PSS	25mm	70mm	110mm	1525mm	1500mm
C8390/1500/25/SSS	9458398394201	C8390/1500/25 OA 1532 CTC 1500 SSS	25mm	70mm	110mm	1525mm	1500mm
C8390/1500/32/PSS	9458398395202	C8390/1500/32 OA 1532 CTC 1500 PSS	32mm	77mm	115mm	1532mm	1500mm
C8390/1500/32/SSS	9458398395201	C8390/1500/32 OA 1532 CTC 1500 SSS	32mm	77mm	115mm	1532mm	1500mm
C8390/400/25/PSS	9458393534202	C8390/400/25 OA 432 CTC 400 PSS	25mm	70mm	110mm	425mm	400mm
C8390/400/25/SSS	9458393534201	C8390/400/25 OA 432 CTC 400 SSS	25mm	70mm	110mm	425mm	400mm
C8390/400/32/PSS	9458393535202	C8390/400/32 OA 432 CTC 400 PSS	32mm	77mm	115mm	432mm	400mm
C8390/400/32/SSS	9458393535201	C8390/400/32 OA 432 CTC 400 SSS	32mm	77mm	115mm	432mm	400mm
C8390/600/25/PSS	9458394734202	C8390/600/25 OA 632 CTC 600 PSS	25mm	70mm	110mm	625mm	600mm
C8390/600/25/SSS	9458394734201	C8390/600/25 OA 632 CTC 600 SSS	25mm	70mm	110mm	625mm	600mm
C8390/600/32/PSS	9458394735202	C8390/600/32 OA 632 CTC 600 PSS	32mm	77mm	115mm	632mm	600mm
C8390/600/32/SSS	9458394735201	C8390/600/32 OA 632 CTC 600 SSS	32mm	77mm	115mm	632mm	600mm
C8390/800/25/PSS	9458395814202	C8390/800/25 OA 832 CTC 800 PSS	25mm	70mm	110mm	825mm	800mm
C8390/800/25/SSS	9458395814201	C8390/800/25 OA 832 CTC 800 SSS	25mm	70mm	110mm	825mm	800mm
C8390/800/32/PSS	9458395815202	C8390/800/32 OA 832 CTC 800 PSS	32mm	77mm	115mm	832mm	800mm
C8390/800/32/SSS	9458395815201	C8390/800/32 OA 832 CTC 800 SSS	32mm	77mm	115mm	832mm	800mm
DISC FIXING							
D8390/1000/25/PSS	9458396654302	D8390/1000/25 OA 1032 CTC 1000 PSS	25mm	70mm	110mm	1025mm	1000mm
D8390/1000/25/SSS	9458396654301	D8390/1000/25 OA 1025 CTC 1000 SSS	25mm	70mm	110mm	1025mm	1000mm
D8390/1000/32/PSS	9458396655302	D8390/1000/32 OA 1032 CTC 1000 PSS	32mm	77mm	115mm	1032mm	1000mm
D8390/1000/32/SSS	9458396655301	D8390/1000/32 OA 1032 CTC 1000 SSS	32mm	77mm	115mm	1032mm	1000mm
D8390/1500/25/PSS	9458398394302	D8390/1500/25 OA 1532 CTC 1500 PSS	25mm	70mm	110mm	1525mm	1500mm
D8390/1500/25/SSS	9458398394301	D8390/1500/25 OA 1532 CTC 1500 SSS	25mm	70mm	110mm	1525mm	1500mm
D8390/1500/32/PSS	9458398395302	D8390/1500/32 OA 1532 CTC 1500 PSS	32mm	77mm	115mm	1532mm	1500mm
D8390/1500/32/SSS	9458398395301	D8390/1500/32 OA 1532 CTC 1500 SSS	32mm	77mm	115mm	1532mm	1500mm
D8390/400/25/PSS	9458393534302	D8390/400/25 OA 432 CTC 400 PSS	25mm	70mm	110mm	425mm	400mm
D8390/400/25/SSS	9458393534301	D8390/400/25 OA 432 CTC 400 SSS	25mm	70mm	110mm	425mm	400mm
D8390/400/32/PSS	9458393535302	D8390/400/32 OA 432 CTC 400 PSS	32mm	77mm	115mm	432mm	400mm
D8390/400/32/SSS	9458393535301	D8390/400/32 OA 432 CTC 400 SSS	32mm	77mm	115mm	432mm	400mm
D8390/600/25/PSS	9458394734302	D8390/600/25 OA 632 CTC 600 PSS	25mm	70mm	110mm	625mm	600mm
D8390/600/25/SSS	9458394734301	D8390/600/25 OA 632 CTC 600 SSS	25mm	70mm	110mm	625mm	600mm
D8390/600/32/PSS	9458394735302	D8390/600/32 OA 632 CTC 600 PSS	32mm	77mm	115mm	632mm	600mm
D8390/600/32/SSS	9458394735301	D8390/600/32 OA 632 CTC 600 SSS	32mm	77mm	115mm	632mm	600mm

Ordering details

Item	Article Number	Description	Diameter	Projection	Width	Length	Fixing Centres
D8390/800/25/PSS	9458395814302	D8390/800/25 OA 832 CTC 800 PSS	25mm	70mm	110mm	825mm	800mm
D8390/800/25/SSS	9458395814301	D8390/800/25 OA 832 CTC 800 SSS	25mm	70mm	110mm	825mm	800mm
D8390/800/32/PSS	9458395815302	D8390/800/32 OA 832 CTC 800 PSS	32mm	77mm	115mm	832mm	800mm
D8390/800/32/SSS	9458395815301	D8390/800/32 OA 832 CTC 800 SSS	32mm	77mm	115mm	832mm	800mm
ACCESSORIES - EXTENDED FIXINGS							
DF25/M8/75 SSS	9400000014108	25MM DISK FIX PAIR M8X75MM SSS					
DF25/M8/75 PSS	9459752588102	25MM DISK FIX PAIR M8X75MM PSS					
DF32/M8/75 PSS	9459753288102	32MM DISK FIX PAIR M8X75MM PSS					
DF32/M8/75 SSS	9400000014109	32MM DISK FIX PAIR M8X75MM SSS					
ACCESSORIES - GLASS FIXINGS							
GDF32/M8/50 PSS	9459503288102	32MM GLASS DISK FIX PSS PAIR M8X50MM					
GDF32/M8/50 SSS	9459503288101	32MM GLASS DISK FIX SSS PAIR M8X50MM					