


D.O.H. = DOOR OPENING HEIGHT
D.H. = DOOR HEIGHT
G.H. = GLASS HEIGHT



NOTE:
GLASS NOT SUPPLIED
BY DORMA.

SINGLE DOOR SYSTEM FOR 1/2" GLASS INCLUDES...

QTY. 1 - #233.040 4-1/2" HEADER PREPPED FOR RTS88 CLOSER [SPECIFY FUNCTION]
QTY. 1 - #234.014 2-1/2" TAPERED TOP RAIL WITH #928.006 ARM
QTY. 1 - #234.031 2-1/2" TAPERED BOTTOM RAIL WITH #928.055 PIVOT AND #934.018 LOCK
QTY. 1 - #225.998 MORTISE THUMBTURN CYLINDER WITH SPLIT RING
QTY. 1 - #225.999 MORTISE KEY CYLINDER WITH SPLIT RING
QTY. 1 - #932.033 1-1/8" DUST PROOF STRIKE

PAIRED DOOR SYSTEM FOR 1/2" GLASS INCLUDES...

QTY. 1 - #233.042 4-1/2" HEADER PREPPED FOR RTS88 CLOSERS [SPECIFY FUNCTION]
QTY. 2 - #234.014 2-1/2" TAPERED TOP RAIL WITH #928.006 ARM
QTY. 2 - #234.031 2-1/2" TAPERED BOTTOM RAIL WITH #928.055 PIVOT AND #934.018 LOCK
QTY. 2 - #225.998 MORTISE THUMBTURN CYLINDER WITH SPLIT RING
QTY. 2 - #225.999 MORTISE KEY CYLINDER WITH SPLIT RING
QTY. 2 - #932.033 1-1/8" DUST PROOF STRIKE

**** PIVOT POINT CENTER LINE IS FROM FINISHED JAMB.**



REV.	DATE

TOLERANCES
UNLESS OTHERWISE
SPECIFIED:
DECIMAL .XXX = $\pm .005$
.XX = $\pm .01$
FRACTION $\pm 1/16$
DEGREE $\pm 3^\circ$

DORMA EASI-FRONTS DOOR SET
TYPE "P" WITH LOCK - P05-2T-2T-01_45-RTS

PROPRIETARY AND CONFIDENTIAL

This document and information is the proprietary property of DORMA GLASS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.

DO NOT SCALE DRAWING

KEY:

D.O.H. = DOOR OPENING HEIGHT

D.H. = DOOR HEIGHT

G.H. = GLASS HEIGHT



1520 Jabez Run
Suite 303
Millersville, MD 21108
800.451.0649

REV.	DATE
①	08/16/16


TOLERANCES
UNLESS OTHERWISE
SPECIFIED:

DECIMAL .XXX = ± .005

.XX = ± .01

FRACTION $\pm 1/16$ DEGREE $\pm .3^\circ$ **DORMA EASI-FRONT'S DOOR SET**
TYPE "P" WITH LOCK - P05-2T-01_45-RTS**PROPRIETARY AND CONFIDENTIAL**

This document and information is the proprietary property of DORMA GLASS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights thereto.



* OPENING CLEARANCES MAY VARY BASED ON SITE CONDITIONS. STANDARD CLEARANCES SHOWN ARE USED IN FORMULA.

DRAWN BY: JA

DATE: 08.05.15

SCALE: 1:2

SHEET: 2 OF 3

DRAWING NO.
P05-2T-01_45-RTS

DO NOT SCALE DRAWING



1520 Jabez Run
Suite 303
Millersville, MD 21108
800.451.0649

REV.	DATE
	08/16/16

TOLERANCES
UNLESS OTHERWISE
SPECIFIED:
DECIMAL .XXX = $\pm .005$
.XX = $\pm .01$
FRACTION $\pm 1/16$
DEGREE $\pm .3^\circ$


**DORMA EASI-FRONT'S DOOR SET
TYPE "P" WITH LOCK - P05-2T-01_45-RTS**

PROPRIETARY AND CONFIDENTIAL
This document and information is the proprietary property of DORMA GLASS. Any party, by accepting this document and information, assumes custody and control hereof and agrees that such is given in confidence and this document and the information set forth therein will not be copied, used or reproduced in whole or in part, nor its contents revealed to any person in any manner that would cause the loss or impairment of the owner's legal rights including, but not limited to, the owner's common law copyrights hereto.


DRAWN BY: JA
DATE: 08.05.15
SCALE: 1:2
SHEET: 3 OF 3
DRAWING NO. P05-2T-01_45-RTS
DO NOT SCALE DRAWING

KEY:

D.O.H. = DOOR OPENING HEIGHT
D.H. = DOOR HEIGHT
G.H. = GLASS HEIGHT



ELEVATION VIEW OF LOCK LOCATION



BOTTOM RAIL SECTION
AT LOCK LOCATION

* OPENING CLEARANCES MAY VARY BASED ON SITE CONDITIONS. STANDARD CLEARANCES SHOWN ARE USED IN FORMULA.