

5400 Straight Round Entrance Pull Handles

dormakaba's straight round entrance pull handles epitomize the high quality ambitions of the dormakaba brand – designed for excellence down to the very last detail and exuding fine craftsmanship. They offer genuine quality, characterised by clearly defined features – irrespective of shape or size.

Created in solid, premium 316 Marine Grade Stainless Steel offering superior corrosion resistance for internal and external use in high traffic buildings. The round section allows comfortable ease of use.

The 5400 entrance pull handles are an ideal choice for residential and commercial applications and are suitable for use on glass, timber and aluminium doors.

Please refer to ordering details for a range of optional accessories to suit:

- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors


Features at a glance:

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request


dormakaba Australia
Head Office
12-13 Dansu Court
Hallam VIC 3803
T: 1800 675 411
info.au@dormakaba.com
www.dormakaba.com.au

dormakaba New Zealand
Head Office
Building P, 61-69 Patiki Road
Avondale, Auckland 1026
T: 0800 436 762
info.nz@dormakaba.com
www.dormakaba.co.nz


Fixing options




GD FIX - glass doors



TM FIX - timber or metal doors



D FIX - glass, metal or timber doors



C FIX - timber doors only

Note

Nylon spacers and washers are included with handle for glass door fixing option.

Legend

- 01** Spacer
- 02** Washer
- 03** Grub Screw
- 04** Bolt
- 05** Disc
- 06** Coach Bolt

TIMBER DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Material Size	Bolt Size
14mm Ø	12mm Ø
16mm Ø	12mm Ø
19mm Ø	12mm Ø
25mm Ø	12mm Ø
32mm Ø	12mm Ø

Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
BACK TO BACK FIXING					
B5400/K/14/PSS	9457407611102	B5400/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
B5400/K/14/SSS	9457407611101	B5400/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
B5400/K/16/PSS	9457407612102	B5400/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
B5400/K/16/SSS	9457407612101	B5400/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
B5400/L/14/PSS	9457407221102	B5400/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
B5400/L/14/SSS	9457407221101	B5400/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
B5400/L/16/PSS	9457407222102	B5400/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
B5400/L/16/SSS	9457407222101	B5400/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
B5400/M/14/PSS	9457406891102	B5400/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
B5400/M/14/SSS	9457406891101	B5400/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
B5400/M/16/PSS	9457406892102	B5400/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
B5400/M/16/SSS	9457406892101	B5400/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
B5400/N/14/PSS	9457406471102	B5400/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
B5400/N/14/SSS	9457406471101	B5400/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
B5400/N/16/PSS	9457406472102	B5400/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
B5400/N/16/SSS	9457406472101	B5400/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
B5400/O/14/PSS	9457406081102	B5400/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
B5400/O/14/SSS	9457406081101	B5400/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm
B5400/O/16/PSS	9457406082102	B5400/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
B5400/O/16/SSS	9457406082101	B5400/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm
B5400/P/14/PSS	9457405511102	B5400/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
B5400/P/14/SSS	9457405511101	B5400/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
B5400/P/16/PSS	9457405512102	B5400/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
B5400/P/16/SSS	9457405512101	B5400/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm
B5400/Q/14/PSS	9457405061102	B5400/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
B5400/Q/14/SSS	9457405061101	B5400/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm
B5400/Q/16/PSS	9457405062102	B5400/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
B5400/Q/16/SSS	9457405062101	B5400/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
B5400/R/14/PSS	9457404581102	B5400/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
B5400/R/14/SSS	9457404581101	B5400/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
B5400/R/16/PSS	9457404582102	B5400/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
B5400/R/16/SSS	9457404582101	B5400/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
B5400/S/14/PSS	9457403891102	B5400/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
B5400/S/14/SSS	9457403891101	B5400/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
B5400/S/16/PSS	9457403892102	B5400/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
B5400/S/16/SSS	9457403892101	B5400/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
B5400/T/14/PSS	9457403201102	B5400/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
B5400/T/14/SSS	9457403201101	B5400/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm
B5400/T/16/PSS	9457403202102	B5400/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm

Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
B5400/T/16/SSS	9457403202101	B5400/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
B5400/U/14/PSS	9457402481102	B5400/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
B5400/U/14/SSS	9457402481101	B5400/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
B5400/U/16/PSS	9457402482102	B5400/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
B5400/U/16/SSS	9457402482101	B5400/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm

ACCESSORIES - EXTENDED FIXINGS - sold as a pair

TM/M5/50	9459405045200	M5/50 BOLT & 10MM FERULE TM FIX	Note: When ordering extended fixings please use the below formula. Door thickness + 20mm for the Ferule + 10mm in to the other handle = round up to the nearest size offered.
TM/M5/75	9459705075200	M5/75 BOLT & 10MM FERULE TM FIX	
TM/M5/100	9459505055200	M5/100 BOLT & 10MM FERULE TM FIX	

ACCESSORIES - GLASS FIXINGS - sold as a pair

GF14/M5/50 RND	9459501455301	14 DIA RND GLASS FIXING PAIRS
GF16/M5/50 RND	9459501655301	16 DIA RND GLASS FIXING PAIRS

CONCEALED FIXING

C5400/K/14/PSS	9457407611202	C5400/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
C5400/K/14/SSS	9457407611201	C5400/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
C5400/K/16/PSS	9457407612202	C5400/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
C5400/K/16/SSS	9457407612201	C5400/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
C5400/L/14/PSS	9457407221202	C5400/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
C5400/L/14/SSS	9457407221201	C5400/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
C5400/L/16/PSS	9457407222202	C5400/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
C5400/L/16/SSS	9457407222201	C5400/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
C5400/M/14/PSS	9457406891202	C5400/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
C5400/M/14/SSS	9457406891201	C5400/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
C5400/M/16/PSS	9457406892202	C5400/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
C5400/M/16/SSS	9457406892201	C5400/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
C5400/N/14/PSS	9457406471202	C5400/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
C5400/N/14/SSS	9457406471201	C5400/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
C5400/N/16/PSS	9457406472202	C5400/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
C5400/N/16/SSS	9457406472201	C5400/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
C5400/O/14/PSS	9457406081202	C5400/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
C5400/O/14/SSS	9457406081201	C5400/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm
C5400/O/16/PSS	9457406082202	C5400/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
C5400/O/16/SSS	9457406082201	C5400/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm
C5400/P/14/PSS	9457405511202	C5400/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
C5400/P/14/SSS	9457405511201	C5400/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
C5400/P/16/PSS	9457405512202	C5400/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
C5400/P/16/SSS	9457405512201	C5400/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm
C5400/Q/14/PSS	9457405061202	C5400/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
C5400/Q/14/SSS	9457405061201	C5400/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm

Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
C5400/Q/16/PSS	9457405062202	C5400/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
C5400/Q/16/SSS	9457405062201	C5400/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
C5400/R/14/PSS	9457404581202	C5400/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
C5400/R/14/SSS	9457404581201	C5400/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
C5400/R/16/PSS	9457404582202	C5400/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
C5400/R/16/SSS	9457404582201	C5400/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
C5400/S/14/PSS	9457403891202	C5400/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
C5400/S/14/SSS	9457403891201	C5400/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
C5400/S/16/PSS	9457403892202	C5400/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
C5400/S/16/SSS	9457403892201	C5400/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
C5400/T/14/PSS	9457403201202	C5400/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
C5400/T/14/SSS	9457403201201	C5400/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm
C5400/T/16/PSS	9457403202202	C5400/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm
C5400/T/16/SSS	9457403202201	C5400/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
C5400/U/14/PSS	9457402481202	C5400/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
C5400/U/14/SSS	9457402481201	C5400/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
C5400/U/16/PSS	9457402482202	C5400/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
C5400/U/16/SSS	9457402482201	C5400/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm

DISC FIXING					
D5400/K/14/PSS	9457407611302	D5400/K/14 OA 1400 CTC 1240 PSS	14mm	1400mm	1240mm
D5400/K/14/SSS	9457407611301	D5400/K/14 OA 1400 CTC 1240 SSS	14mm	1400mm	1240mm
D5400/K/16/PSS	9457407612302	D5400/K/16 OA 1400 CTC 1240 PSS	16mm	1400mm	1240mm
D5400/K/16/SSS	9457407612301	D5400/K/16 OA 1400 CTC 1240 SSS	16mm	1400mm	1240mm
D5400/L/14/PSS	9457407221302	D5400/L/14 OA 1300 CTC 1140 PSS	14mm	1300mm	1140mm
D5400/L/14/SSS	9457407221301	D5400/L/14 OA 1300 CTC 1140 SSS	14mm	1300mm	1140mm
D5400/L/16/PSS	9457407222302	D5400/L/16 OA 1300 CTC 1140 PSS	16mm	1300mm	1140mm
D5400/L/16/SSS	9457407222301	D5400/L/16 OA 1300 CTC 1140 SSS	16mm	1300mm	1140mm
D5400/M/14/PSS	9457406891302	D5400/M/14 OA 1200 CTC 1040 PSS	14mm	1200mm	1040mm
D5400/M/14/SSS	9457406891301	D5400/M/14 OA 1200 CTC 1040 SSS	14mm	1200mm	1040mm
D5400/M/16/PSS	9457406892302	D5400/M/16 OA 1200 CTC 1040 PSS	16mm	1200mm	1040mm
D5400/M/16/SSS	9457406892301	D5400/M/16 OA 1200 CTC 1040 SSS	16mm	1200mm	1040mm
D5400/N/14/PSS	9457406471302	D5400/N/14 OA 1100 CTC 940 PSS	14mm	1100mm	940mm
D5400/N/14/SSS	9457406471301	D5400/N/14 OA 1100 CTC 940 SSS	14mm	1100mm	940mm
D5400/N/16/PSS	9457406472302	D5400/N/16 OA 1100 CTC 940 PSS	16mm	1100mm	940mm
D5400/N/16/SSS	9457406472301	D5400/N/16 OA 1100 CTC 940 SSS	16mm	1100mm	940mm
D5400/O/14/PSS	9457406081302	D5400/O/14 OA 1000 CTC 840 PSS	14mm	1000mm	840mm
D5400/O/14/SSS	9457406081301	D5400/O/14 OA 1000 CTC 840 SSS	14mm	1000mm	840mm
D5400/O/16/PSS	9457406082302	D5400/O/16 OA 1000 CTC 840 PSS	16mm	1000mm	840mm
D5400/O/16/SSS	9457406082301	D5400/O/16 OA 1000 CTC 840 SSS	16mm	1000mm	840mm

Ordering details

Item	Article Number	Description	Diameter	Length	Fixing Centres
D5400/P/14/PSS	9457405511302	D5400/P/14 OA 900 CTC 740 PSS	14mm	900mm	740mm
D5400/P/14/SSS	9457405511301	D5400/P/14 OA 900 CTC 740 SSS	14mm	900mm	740mm
D5400/P/16/PSS	9457405512302	D5400/P/16 OA 900 CTC 740 PSS	16mm	900mm	740mm
D5400/P/16/SSS	9457405512301	D5400/P/16 OA 900 CTC 740 SSS	16mm	900mm	740mm
D5400/Q/14/PSS	9457405061302	D5400/Q/14 OA 800 CTC 640 PSS	14mm	800mm	640mm
D5400/Q/14/SSS	9457405061301	D5400/Q/14 OA 800 CTC 640 SSS	14mm	800mm	640mm
D5400/Q/16/PSS	9457405062302	D5400/Q/16 OA 800 CTC 640 PSS	16mm	800mm	640mm
D5400/Q/16/SSS	9457405062301	D5400/Q/16 OA 800 CTC 640 SSS	16mm	800mm	640mm
D5400/R/14/PSS	9457404581302	D5400/R/14 OA 700 CTC 540 PSS	14mm	700mm	540mm
D5400/R/14/SSS	9457404581301	D5400/R/14 OA 700 CTC 540 SSS	14mm	700mm	540mm
D5400/R/16/PSS	9457404582302	D5400/R/16 OA 700 CTC 540 PSS	16mm	700mm	540mm
D5400/R/16/SSS	9457404582301	D5400/R/16 OA 700 CTC 540 SSS	16mm	700mm	540mm
D5400/S/14/PSS	9457403891302	D5400/S/14 OA 600 CTC 440 PSS	14mm	600mm	440mm
D5400/S/14/SSS	9457403891301	D5400/S/14 OA 600 CTC 440 SSS	14mm	600mm	440mm
D5400/S/16/PSS	9457403892302	D5400/S/16 OA 600 CTC 440 PSS	16mm	600mm	440mm
D5400/S/16/SSS	9457403892301	D5400/S/16 OA 600 CTC 440 SSS	16mm	600mm	440mm
D5400/T/14/PSS	9457403201302	D5400/T/14 OA 500 CTC 340 PSS	14mm	500mm	340mm
D5400/T/14/SSS	9457403201301	D5400/T/14 OA 500 CTC 340 SSS	14mm	500mm	340mm
D5400/T/16/PSS	9457403202302	D5400/T/16 OA 500 CTC 340 PSS	16mm	500mm	340mm
D5400/T/16/SSS	9457403202301	D5400/T/16 OA 500 CTC 340 SSS	16mm	500mm	340mm
D5400/U/14/PSS	9457402481302	D5400/U/14 OA 400 CTC 240 PSS	14mm	400mm	240mm
D5400/U/14/SSS	9457402481301	D5400/U/14 OA 400 CTC 240 SSS	14mm	400mm	240mm
D5400/U/16/PSS	9457402482302	D5400/U/16 OA 400 CTC 240 PSS	16mm	400mm	240mm
D5400/U/16/SSS	9457402482301	D5400/U/16 OA 400 CTC 240 SSS	16mm	400mm	240mm
ACCESSORIES - EXTENDED FIXINGS - sold as a pair					
DF14/M5/75 PSS	9459751455102	14MM DISK FIX PSS PAIR M5X75MM			
DF14/M5/75 SSS	9459751455101	14MM DISK FIX SSS PAIR M5X75MM			
DF16/M5/75 PSS	9459751655102	16MM DISK FIX PAIR M5X75MM PSS			
DF16/M5/75 SSS	9459751655101	16MM DISK FIX PAIR M5X75MM SSS			
ACCESSORIES - GLASS FIXINGS - sold as a pair					
GDF14/M5/50 PSS	9459501455102	14MM GLASS DISK FIX PAIR PSS M5X50MM			
GDF14/M5/50 SSS	9459501455101	14MM GLASS DISK FIX PAIR SSS M5X50MM			
GDF16/M5/50 PSS	9459501655102	16MM GLASS DISK FIX PAIR M5X50MM PSS			
GDF16/M5/50 SSS	9400000014107	16MM GLASS DISK FIX PAIR M5X50MM SSS			