

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EAD-9021559-2-2

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

European Assessment Document 020001-01-0405

Door hinges

Product description/
specification

Concealeo

According to configuration in **annex 1**

Levels and classes of
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on doors in escape routes with requirements for fire resistance and smoke control

placed on the market
under the name or
trade mark of

Dormakaba Gulf FZE

Plot No. S 20135, Road no. SW 301 G, 9021559, AE-Jebel Ali South, Dubai

and produced in the
manufacturing
plant(s)

404301

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

ETA-08/0209 issued on 27.06.2018

and


EAD 020001-01-0405 issued in March 2017

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 23.10.2018 and will remain valid until 22.10.2024, as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift Rosenheim** no. 229EAD 9021559.

Christian Kehrer
Head of notified product certification body
ift Rosenheim
23.10.2021



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: 4F0-81428

Certificate of constancy of performance

Annex 1 Page 1 of 1
Certificate holder: Dormakaba Gulf FZE
Date of issue: 23.10.2021



Certificate No.: 0757-CPR-229EAD-9021559-2-2

Compilation of locks:

No. 1:

Product designation: **Concealeo DA 100 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and
milled in leaf element and screw-fitted with 4 screws
Test report: 17-003108-PR01 of 01.03.2018

Classification:	4	7	5	1	1	3	1	12
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

No. 2

Product designation: **Concealeo DH 120 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Aluminium
Fastening: milled in frame element and screw-fitted with 4 screws and
milled in leaf element and screw-fitted with 4 screws
Test report: 17-003108-PR02 of 01.03.2018

Classification:	4	7	6	1	1	3	1	13
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal

No. 3

Product designation: **Concealeo DS 120 3D**
Hinge type: multi-axis, concealed hinges
Material: Steel, Stainless Steel
Fastening: milled in frame element and screw-fitted with 4 screws and
milled in leaf element and screw-fitted with 4 screws
Test report: 17-003108-PR03 of 01.03.2018

Classification:	4	7	7	1	1	3	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control made of wood and metal